

---

**CDC WONDER**

[FAQ](#)

[Help](#)

[Contact Us](#)

[WONDER Search](#)

## The Vaccine Adverse Event Reporting System (VAERS) Results

| Symptoms  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| ABDOMINAL DISCOMFORT                            | 2               | 0.16%              |
| ABDOMINAL DISTENSION                            | 2               | 0.16%              |
| ABDOMINAL LYMPHADENOPATHY                       | 1               | 0.08%              |
| ABDOMINAL PAIN                                  | 22              | 1.71%              |
| ABDOMINAL PAIN LOWER                            | 7               | 0.54%              |
| ABDOMINAL PAIN UPPER                            | 13              | 1.01%              |
| ABDOMINAL TENDERNESS                            | 1               | 0.08%              |
| ABDOMINAL WALL HAEMATOMA                        | 1               | 0.08%              |
| ABDOMINAL X-RAY                                 | 1               | 0.08%              |
| ABNORMAL BEHAVIOUR                              | 4               | 0.31%              |
| ABNORMAL LOSS OF WEIGHT                         | 1               | 0.08%              |
| ABNORMAL SENSATION IN EYE                       | 1               | 0.08%              |
| ABORTION SPONTANEOUS                            | 3               | 0.23%              |
| ACOUSTIC STIMULATION TESTS                      | 3               | 0.23%              |
| ACOUSTIC STIMULATION TESTS ABNORMAL             | 12              | 0.93%              |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME           | 4               | 0.31%              |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME NORMAL    | 3               | 0.23%              |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME PROLONGED | 3               | 0.23%              |
| ACTIVATED PARTIAL THROMBOPLASTIN TIME SHORTENED | 3               | 0.23%              |
| ACTIVATED PROTEIN C RESISTANCE TEST POSITIVE    | 1               | 0.08%              |
| ACUTE ABDOMEN                                   | 1               | 0.08%              |
| ACUTE CARDIAC EVENT                             | 2               | 0.16%              |
| ACUTE CORONARY SYNDROME                         | 2               | 0.16%              |
| ACUTE HEPATIC FAILURE                           | 1               | 0.08%              |
| ACUTE KIDNEY INJURY                             | 10              | 0.78%              |
| ACUTE MONOCYTIC LEUKAEMIA                       | 1               | 0.08%              |
| ACUTE MOTOR-SENSORY AXONAL NEUROPATHY           | 1               | 0.08%              |
| ACUTE MYELOID LEUKAEMIA                         | 2               | 0.16%              |
| ACUTE MYOCARDIAL INFARCTION                     | 21              | 1.63%              |
| ACUTE PULMONARY OEDEMA                          | 2               | 0.16%              |
| ACUTE RESPIRATORY DISTRESS SYNDROME             | 2               | 0.16%              |
| ACUTE RESPIRATORY FAILURE                       | 7               | 0.54%              |
| ADENOVIRUS TEST                                 | 1               | 0.08%              |
| ADVERSE EVENT                                   | 1               | 0.08%              |
| ADVERSE EVENT FOLLOWING IMMUNISATION            | 1               | 0.08%              |
| AFFECTIVE DISORDER                              | 1               | 0.08%              |
| AGEUSIA   | 5               | 0.39%              |
| AGGRESSION                                      | 2               | 0.16%              |
| AGITATION                                       | 3               | 0.23%              |
| AIRWAY SECRETION CLEARANCE THERAPY              | 1               | 0.08%              |
| ALANINE AMINOTRANSFERASE INCREASED              | 7               | 0.54%              |
| ALANINE AMINOTRANSFERASE NORMAL                 | 7               | 0.54%              |
| ALBUMIN GLOBULIN RATIO                          | 1               | 0.08%              |
| ALBUMIN GLOBULIN RATIO DECREASED                | 1               | 0.08%              |
| ALBUMIN GLOBULIN RATIO NORMAL                   | 1               | 0.08%              |
| ALLERGY TEST                                    | 2               | 0.16%              |
| ALLERGY TO VACCINE                              | 1               | 0.08%              |
| ALLODYNIA                                       | 1               | 0.08%              |
| ALOPECIA  | 2               | 0.16%              |
| ALTERED STATE OF CONSCIOUSNESS                  | 1               | 0.08%              |
| ALTERED VISUAL DEPTH PERCEPTION                 | 1               | 0.08%              |
| AMBLYOPIA                                       | 1               | 0.08%              |
| AMMONIA NORMAL                                  | 1               | 0.08%              |
| AMNESIA   | 4               | 0.31%              |
| AMYLASE NORMAL                                  | 2               | 0.16%              |
| ANAEMIA   | 2               | 0.16%              |
| ANAEMIA MACROCYTIC                              | 1               | 0.08%              |
| ANAL INCONTINENCE                               | 4               | 0.31%              |
| ANAPHYLACTIC REACTION                           | 74              | 5.76%              |
| ANAPHYLACTIC SHOCK                              | 11              | 0.86%              |

| Symptoms                                     | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| ANAPHYLACTOID REACTION                       | 1               | 0.08%              |
| ANEURYSM                                     | 2               | 0.16%              |
| ANGINA PECTORIS                              | 1               | 0.08%              |
| ANGIOCARDIOGRAM                              | 1               | 0.08%              |
| ANGIOEDEMA                                   | 20              | 1.56%              |
| ANGIOGRAM                                    | 33              | 2.57%              |
| ANGIOGRAM ABNORMAL                           | 5               | 0.39%              |
| ANGIOGRAM CEREBRAL                           | 11              | 0.86%              |
| ANGIOGRAM CEREBRAL ABNORMAL                  | 5               | 0.39%              |
| ANGIOGRAM CEREBRAL NORMAL                    | 7               | 0.54%              |
| ANGIOGRAM NORMAL                             | 1               | 0.08%              |
| ANGIOGRAM PULMONARY ABNORMAL                 | 10              | 0.78%              |
| ANGIOGRAM PULMONARY NORMAL                   | 2               | 0.16%              |
| ANGIOGRAM RETINA                             | 5               | 0.39%              |
| ANGIOPLASTY                                  | 2               | 0.16%              |
| ANGIOTENSIN CONVERTING ENZYME                | 1               | 0.08%              |
| ANION GAP                                    | 4               | 0.31%              |
| ANION GAP DECREASED                          | 2               | 0.16%              |
| ANION GAP INCREASED                          | 2               | 0.16%              |
| ANION GAP NORMAL                             | 1               | 0.08%              |
| ANKLE FRACTURE                               | 1               | 0.08%              |
| ANOSMIA                                      | 3               | 0.23%              |
| ANTI FACTOR XA ASSAY NORMAL                  | 1               | 0.08%              |
| ANTI-AQUAPORIN-4 ANTIBODY                    | 1               | 0.08%              |
| ANTI-CYCLIC CITRULLINATED PEPTIDE ANTIBODY   | 1               | 0.08%              |
| ANTI-MUSCLE SPECIFIC KINASE ANTIBODY         | 1               | 0.08%              |
| ANTI-NMDA ANTIBODY NEGATIVE                  | 1               | 0.08%              |
| ANTI-THYROID ANTIBODY POSITIVE               | 1               | 0.08%              |
| ANTIBODY TEST                                | 1               | 0.08%              |
| ANTIBODY TEST NEGATIVE                       | 1               | 0.08%              |
| ANTICOAGULANT THERAPY                        | 3               | 0.23%              |
| ANTINEUTROPHIL CYTOPLASMIC ANTIBODY          | 1               | 0.08%              |
| ANTINEUTROPHIL CYTOPLASMIC ANTIBODY NEGATIVE | 1               | 0.08%              |
| ANTINUCLEAR ANTIBODY                         | 3               | 0.23%              |
| ANTINUCLEAR ANTIBODY NEGATIVE                | 4               | 0.31%              |
| ANTINUCLEAR ANTIBODY POSITIVE                | 2               | 0.16%              |
| ANTIPHOSPHOLIPID ANTIBODIES                  | 3               | 0.23%              |
| ANTIPHOSPHOLIPID ANTIBODIES NEGATIVE         | 1               | 0.08%              |
| ANTIPHOSPHOLIPID ANTIBODIES POSITIVE         | 1               | 0.08%              |
| ANTITHROMBIN III                             | 3               | 0.23%              |
| ANURIA                                       | 1               | 0.08%              |
| ANXIETY                                      | 14              | 1.09%              |
| AORTIC ANEURYSM                              | 1               | 0.08%              |
| AORTIC ARTERIOSCLEROSIS                      | 1               | 0.08%              |
| AORTIC STENOSIS                              | 2               | 0.16%              |
| AORTIC VALVE INCOMPETENCE                    | 1               | 0.08%              |
| APHASIA                                      | 29              | 2.26%              |
| APHONIA                                      | 3               | 0.23%              |
| APLASTIC ANAEMIA                             | 1               | 0.08%              |
| APNOEA                                       | 1               | 0.08%              |
| APPARENT LIFE THREATENING EVENT              | 6               | 0.47%              |
| APPENDICECTOMY                               | 13              | 1.01%              |
| APPENDICITIS                                 | 12              | 0.93%              |
| APPENDICITIS PERFORATED                      | 4               | 0.31%              |
| APTALISM                                     | 1               | 0.08%              |
| AREFLEXIA                                    | 3               | 0.23%              |
| ARRHYTHMIA                                   | 2               | 0.16%              |
| ARTERIAL CATHETERISATION                     | 1               | 0.08%              |
| ARTERIAL RUPTURE                             | 1               | 0.08%              |
| ARTERIOGRAM CAROTID                          | 6               | 0.47%              |
| ARTERIOGRAM CAROTID ABNORMAL                 | 2               | 0.16%              |
| ARTERIOGRAM CAROTID NORMAL                   | 5               | 0.39%              |
| ARTERIOGRAM CORONARY ABNORMAL                | 1               | 0.08%              |

| Symptoms                             | Events Reported | Percent (of 1,285) |
|--------------------------------------|-----------------|--------------------|
| ARTERIOGRAM CORONARY NORMAL          | 1               | 0.08%              |
| ARTERIOSCLEROSIS                     | 1               | 0.08%              |
| ARTERIOSCLEROSIS CORONARY ARTERY     | 1               | 0.08%              |
| ARTERIOSPASM CORONARY                | 1               | 0.08%              |
| ARTERIOVENOUS MALFORMATION           | 1               | 0.08%              |
| ARTHRALGIA                           | 79              | 6.15%              |
| ARTHRITIS                            | 3               | 0.23%              |
| ARTHRITIS BACTERIAL                  | 1               | 0.08%              |
| ARTHRITIS INFECTIVE                  | 1               | 0.08%              |
| ASCITES                              | 1               | 0.08%              |
| ASPARTATE AMINOTRANSFERASE INCREASED | 10              | 0.78%              |
| ASPARTATE AMINOTRANSFERASE NORMAL    | 7               | 0.54%              |
| ASPIRATION                           | 3               | 0.23%              |
| ASPIRATION BURSA                     | 1               | 0.08%              |
| ASPIRATION JOINT                     | 1               | 0.08%              |
| ASPIRATION PLEURAL CAVITY            | 1               | 0.08%              |
| ASSISTED REPRODUCTIVE TECHNOLOGY     | 1               | 0.08%              |
| ASTHENIA                             | 106             | 8.25%              |
| ASTHENOPIA                           | 1               | 0.08%              |
| ASTHMA                               | 4               | 0.31%              |
| ASYMPTOMATIC COVID-19                | 1               | 0.08%              |
| ATAXIA                               | 6               | 0.47%              |
| ATELECTASIS                          | 3               | 0.23%              |
| ATRIAL FIBRILLATION                  | 28              | 2.18%              |
| ATRIAL FLUTTER                       | 2               | 0.16%              |
| ATRIAL SEPTAL DEFECT                 | 2               | 0.16%              |
| ATRIAL SEPTAL DEFECT REPAIR          | 1               | 0.08%              |
| ATRIOVENTRICULAR BLOCK               | 2               | 0.16%              |
| ATRIOVENTRICULAR BLOCK SECOND DEGREE | 1               | 0.08%              |
| AUDIOGRAM                            | 6               | 0.47%              |
| AUDIOGRAM ABNORMAL                   | 5               | 0.39%              |
| AUDIOGRAM NORMAL                     | 2               | 0.16%              |
| AUDITORY DISORDER                    | 1               | 0.08%              |
| AUTOANTIBODY POSITIVE                | 1               | 0.08%              |
| AUTOIMMUNE DISORDER                  | 2               | 0.16%              |
| AUTOIMMUNE HEPATITIS                 | 1               | 0.08%              |
| AUTONOMIC NERVOUS SYSTEM IMBALANCE   | 1               | 0.08%              |
| AXILLARY PAIN                        | 4               | 0.31%              |
| BACK PAIN                            | 42              | 3.27%              |
| BACTERAEMIA                          | 2               | 0.16%              |
| BACTERIAL SEPSIS                     | 1               | 0.08%              |
| BACTERIAL TEST                       | 1               | 0.08%              |
| BACTERIAL TEST NEGATIVE              | 1               | 0.08%              |
| BALANCE DISORDER                     | 14              | 1.09%              |
| BALANCE TEST                         | 1               | 0.08%              |
| BAND NEUTROPHIL PERCENTAGE           | 1               | 0.08%              |
| BAND NEUTROPHIL PERCENTAGE INCREASED | 2               | 0.16%              |
| BAND SENSATION                       | 1               | 0.08%              |
| BARIUM SWALLOW                       | 1               | 0.08%              |
| BARTONELLA TEST                      | 1               | 0.08%              |
| BASAL GANGLIA HAEMORRHAGE            | 2               | 0.16%              |
| BASAL GANGLIA INFARCTION             | 1               | 0.08%              |
| BASAL GANGLIA STROKE                 | 2               | 0.16%              |
| BASE EXCESS                          | 2               | 0.16%              |
| BASE EXCESS INCREASED                | 2               | 0.16%              |
| BASEDOW'S DISEASE                    | 1               | 0.08%              |
| BASILAR ARTERY OCCLUSION             | 1               | 0.08%              |
| BASOPHIL COUNT DECREASED             | 3               | 0.23%              |
| BASOPHIL COUNT INCREASED             | 1               | 0.08%              |
| BASOPHIL COUNT NORMAL                | 3               | 0.23%              |
| BASOPHIL PERCENTAGE                  | 3               | 0.23%              |
| BASOPHIL PERCENTAGE DECREASED        | 4               | 0.31%              |
| BED REST                             | 1               | 0.08%              |

| Symptoms                                  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| BEDRIDDEN                                 | 4               | 0.31%              |
| BETA-2 GLYCOPROTEIN ANTIBODY              | 1               | 0.08%              |
| BETA-2 GLYCOPROTEIN ANTIBODY NEGATIVE     | 2               | 0.16%              |
| BICYTOPENIA                               | 1               | 0.08%              |
| BILEVEL POSITIVE AIRWAY PRESSURE          | 6               | 0.47%              |
| BILIRUBIN CONJUGATED                      | 1               | 0.08%              |
| BILIRUBIN CONJUGATED INCREASED            | 1               | 0.08%              |
| BILIRUBIN URINE PRESENT                   | 1               | 0.08%              |
| BIOPSY                                    | 1               | 0.08%              |
| BIOPSY BONE MARROW                        | 2               | 0.16%              |
| BIOPSY BONE MARROW ABNORMAL               | 4               | 0.31%              |
| BIOPSY HEART ABNORMAL                     | 1               | 0.08%              |
| BLADDER CATHETERISATION                   | 1               | 0.08%              |
| BLADDER PAIN                              | 1               | 0.08%              |
| BLEPHAROSPASM                             | 1               | 0.08%              |
| BLINDNESS                                 | 5               | 0.39%              |
| BLINDNESS UNILATERAL                      | 10              | 0.78%              |
| BLISTER                                   | 2               | 0.16%              |
| BLOOD ALBUMIN                             | 1               | 0.08%              |
| BLOOD ALBUMIN NORMAL                      | 8               | 0.62%              |
| BLOOD ALKALINE PHOSPHATASE INCREASED      | 5               | 0.39%              |
| BLOOD ALKALINE PHOSPHATASE NORMAL         | 5               | 0.39%              |
| BLOOD BICARBONATE DECREASED               | 3               | 0.23%              |
| BLOOD BICARBONATE INCREASED               | 2               | 0.16%              |
| BLOOD BICARBONATE NORMAL                  | 2               | 0.16%              |
| BLOOD BILIRUBIN                           | 1               | 0.08%              |
| BLOOD BILIRUBIN DECREASED                 | 2               | 0.16%              |
| BLOOD BILIRUBIN INCREASED                 | 6               | 0.47%              |
| BLOOD BILIRUBIN NORMAL                    | 5               | 0.39%              |
| BLOOD CALCIUM                             | 1               | 0.08%              |
| BLOOD CALCIUM DECREASED                   | 6               | 0.47%              |
| BLOOD CALCIUM NORMAL                      | 6               | 0.47%              |
| BLOOD CHLORIDE DECREASED                  | 3               | 0.23%              |
| BLOOD CHLORIDE INCREASED                  | 1               | 0.08%              |
| BLOOD CHLORIDE NORMAL                     | 9               | 0.70%              |
| BLOOD CHOLESTEROL INCREASED               | 2               | 0.16%              |
| BLOOD CHOLESTEROL NORMAL                  | 3               | 0.23%              |
| BLOOD COUNT ABNORMAL                      | 1               | 0.08%              |
| BLOOD CREATINE INCREASED                  | 2               | 0.16%              |
| BLOOD CREATINE PHOSPHOKINASE INCREASED    | 4               | 0.31%              |
| BLOOD CREATINE PHOSPHOKINASE MB           | 1               | 0.08%              |
| BLOOD CREATINE PHOSPHOKINASE MB INCREASED | 1               | 0.08%              |
| BLOOD CREATINE PHOSPHOKINASE NORMAL       | 4               | 0.31%              |
| BLOOD CREATININE DECREASED                | 1               | 0.08%              |
| BLOOD CREATININE INCREASED                | 17              | 1.32%              |
| BLOOD CREATININE NORMAL                   | 13              | 1.01%              |
| BLOOD CULTURE                             | 8               | 0.62%              |
| BLOOD CULTURE NEGATIVE                    | 8               | 0.62%              |
| BLOOD CULTURE POSITIVE                    | 2               | 0.16%              |
| BLOOD ELECTROLYTES                        | 3               | 0.23%              |
| BLOOD ETHANOL                             | 1               | 0.08%              |
| BLOOD FIBRINOGEN                          | 3               | 0.23%              |
| BLOOD FIBRINOGEN INCREASED                | 1               | 0.08%              |
| BLOOD FIBRINOGEN NORMAL                   | 1               | 0.08%              |
| BLOOD FOLATE                              | 3               | 0.23%              |
| BLOOD GASES                               | 1               | 0.08%              |
| BLOOD GLUCOSE                             | 5               | 0.39%              |
| BLOOD GLUCOSE ABNORMAL                    | 1               | 0.08%              |
| BLOOD GLUCOSE INCREASED                   | 16              | 1.25%              |
| BLOOD GLUCOSE NORMAL                      | 14              | 1.09%              |
| BLOOD HEAVY METAL TEST                    | 1               | 0.08%              |
| BLOOD HOMOCYSTEINE                        | 1               | 0.08%              |
| BLOOD IMMUNOGLOBULIN E                    | 1               | 0.08%              |

| Symptoms                                    | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| BLOOD IMMUNOGLOBULIN G NORMAL               | 2               | 0.16%              |
| BLOOD IMMUNOGLOBULIN M                      | 2               | 0.16%              |
| BLOOD IMMUNOGLOBULIN M NORMAL               | 1               | 0.08%              |
| BLOOD INSULIN                               | 1               | 0.08%              |
| BLOOD KETONE BODY                           | 1               | 0.08%              |
| BLOOD KETONE BODY INCREASED                 | 1               | 0.08%              |
| BLOOD LACTATE DEHYDROGENASE INCREASED       | 6               | 0.47%              |
| BLOOD LACTATE DEHYDROGENASE NORMAL          | 1               | 0.08%              |
| BLOOD LACTIC ACID                           | 11              | 0.86%              |
| BLOOD LACTIC ACID DECREASED                 | 2               | 0.16%              |
| BLOOD LACTIC ACID INCREASED                 | 6               | 0.47%              |
| BLOOD LACTIC ACID NORMAL                    | 2               | 0.16%              |
| BLOOD MAGNESIUM                             | 3               | 0.23%              |
| BLOOD MAGNESIUM DECREASED                   | 1               | 0.08%              |
| BLOOD MAGNESIUM NORMAL                      | 6               | 0.47%              |
| BLOOD OSMOLARITY DECREASED                  | 2               | 0.16%              |
| BLOOD OSMOLARITY INCREASED                  | 1               | 0.08%              |
| BLOOD PARATHYROID HORMONE INCREASED         | 1               | 0.08%              |
| BLOOD PH DECREASED                          | 4               | 0.31%              |
| BLOOD PH INCREASED                          | 3               | 0.23%              |
| BLOOD PH NORMAL                             | 2               | 0.16%              |
| BLOOD PHOSPHORUS                            | 1               | 0.08%              |
| BLOOD PHOSPHORUS INCREASED                  | 1               | 0.08%              |
| BLOOD PHOSPHORUS NORMAL                     | 2               | 0.16%              |
| BLOOD POTASSIUM                             | 1               | 0.08%              |
| BLOOD POTASSIUM DECREASED                   | 14              | 1.09%              |
| BLOOD POTASSIUM INCREASED                   | 2               | 0.16%              |
| BLOOD POTASSIUM NORMAL                      | 4               | 0.31%              |
| BLOOD PRESSURE ABNORMAL                     | 1               | 0.08%              |
| BLOOD PRESSURE DECREASED                    | 8               | 0.62%              |
| BLOOD PRESSURE DIASTOLIC INCREASED          | 1               | 0.08%              |
| BLOOD PRESSURE FLUCTUATION                  | 2               | 0.16%              |
| BLOOD PRESSURE IMMEASURABLE                 | 1               | 0.08%              |
| BLOOD PRESSURE INCREASED                    | 34              | 2.65%              |
| BLOOD PRESSURE MEASUREMENT                  | 1               | 0.08%              |
| BLOOD PRESSURE SYSTOLIC INCREASED           | 2               | 0.16%              |
| BLOOD SMEAR TEST                            | 1               | 0.08%              |
| BLOOD SMEAR TEST ABNORMAL                   | 2               | 0.16%              |
| BLOOD SODIUM                                | 1               | 0.08%              |
| BLOOD SODIUM DECREASED                      | 9               | 0.70%              |
| BLOOD SODIUM INCREASED                      | 1               | 0.08%              |
| BLOOD SODIUM NORMAL                         | 9               | 0.70%              |
| BLOOD TEST                                  | 96              | 7.47%              |
| BLOOD TEST ABNORMAL                         | 5               | 0.39%              |
| BLOOD TEST NORMAL                           | 20              | 1.56%              |
| BLOOD TESTOSTERONE                          | 1               | 0.08%              |
| BLOOD THYROID STIMULATING HORMONE           | 10              | 0.78%              |
| BLOOD THYROID STIMULATING HORMONE DECREASED | 1               | 0.08%              |
| BLOOD THYROID STIMULATING HORMONE NORMAL    | 7               | 0.54%              |
| BLOOD TRIGLYCERIDES INCREASED               | 1               | 0.08%              |
| BLOOD TRIGLYCERIDES NORMAL                  | 2               | 0.16%              |
| BLOOD UREA                                  | 1               | 0.08%              |
| BLOOD UREA DECREASED                        | 2               | 0.16%              |
| BLOOD UREA INCREASED                        | 8               | 0.62%              |
| BLOOD UREA NITROGEN/CREATININE RATIO        | 2               | 0.16%              |
| BLOOD UREA NORMAL                           | 6               | 0.47%              |
| BLOOD URIC ACID NORMAL                      | 1               | 0.08%              |
| BLOOD URINE PRESENT                         | 5               | 0.39%              |
| BODY FLUID ANALYSIS                         | 1               | 0.08%              |
| BODY TEMPERATURE ABNORMAL                   | 1               | 0.08%              |
| BODY TEMPERATURE DECREASED                  | 2               | 0.16%              |
| BODY TEMPERATURE INCREASED                  | 19              | 1.48%              |
| BONE PAIN                                   | 2               | 0.16%              |

| Symptoms                            | Events Reported | Percent (of 1,285) |
|-------------------------------------|-----------------|--------------------|
| BORRELIA TEST NEGATIVE              | 2               | 0.16%              |
| BOWEL MOVEMENT IRREGULARITY         | 1               | 0.08%              |
| BRACHIAL PLEXUS INJURY              | 2               | 0.16%              |
| BRADYCARDIA                         | 4               | 0.31%              |
| BRADYKINESIA                        | 1               | 0.08%              |
| BRAIN HERNIATION                    | 1               | 0.08%              |
| BRAIN INJURY                        | 1               | 0.08%              |
| BRAIN NATRIURETIC PEPTIDE           | 1               | 0.08%              |
| BRAIN NATRIURETIC PEPTIDE DECREASED | 1               | 0.08%              |
| BRAIN NATRIURETIC PEPTIDE INCREASED | 4               | 0.31%              |
| BRAIN NATRIURETIC PEPTIDE NORMAL    | 4               | 0.31%              |
| BRAIN OEDEMA                        | 1               | 0.08%              |
| BRAIN OPERATION                     | 2               | 0.16%              |
| BRAIN STEM INFARCTION               | 1               | 0.08%              |
| BREAKTHROUGH PAIN                   | 1               | 0.08%              |
| BREAST PAIN                         | 1               | 0.08%              |
| BREAST SWELLING                     | 1               | 0.08%              |
| BREATH SOUNDS ABNORMAL              | 4               | 0.31%              |
| BRONCHOSPASM                        | 1               | 0.08%              |
| BULLOUS HAEMORRHAGIC DERMATOSIS     | 1               | 0.08%              |
| BUNDLE BRANCH BLOCK LEFT            | 1               | 0.08%              |
| BUNDLE BRANCH BLOCK RIGHT           | 2               | 0.16%              |
| BURNING SENSATION                   | 15              | 1.17%              |
| BURNS SECOND DEGREE                 | 1               | 0.08%              |
| BURSA INJURY                        | 1               | 0.08%              |
| BURSITIS                            | 5               | 0.39%              |
| BUTTERFLY RASH                      | 1               | 0.08%              |
| C-REACTIVE PROTEIN                  | 4               | 0.31%              |
| C-REACTIVE PROTEIN INCREASED        | 13              | 1.01%              |
| C-REACTIVE PROTEIN NORMAL           | 7               | 0.54%              |
| C1 ESTERASE INHIBITOR TEST          | 1               | 0.08%              |
| CAFFEINE CONSUMPTION                | 1               | 0.08%              |
| CARBON DIOXIDE DECREASED            | 6               | 0.47%              |
| CARBON DIOXIDE INCREASED            | 2               | 0.16%              |
| CARBON DIOXIDE NORMAL               | 5               | 0.39%              |
| CARCINOID SYNDROME                  | 1               | 0.08%              |
| CARDIAC ABLATION                    | 1               | 0.08%              |
| CARDIAC ARREST                      | 22              | 1.71%              |
| CARDIAC ASSISTANCE DEVICE USER      | 1               | 0.08%              |
| CARDIAC DISORDER                    | 4               | 0.31%              |
| CARDIAC ELECTROPHYSIOLOGIC STUDY    | 1               | 0.08%              |
| CARDIAC FAILURE                     | 3               | 0.23%              |
| CARDIAC FAILURE ACUTE               | 2               | 0.16%              |
| CARDIAC FAILURE CHRONIC             | 1               | 0.08%              |
| CARDIAC FAILURE CONGESTIVE          | 5               | 0.39%              |
| CARDIAC FLUTTER                     | 1               | 0.08%              |
| CARDIAC FUNCTION TEST               | 2               | 0.16%              |
| CARDIAC IMAGING PROCEDURE ABNORMAL  | 1               | 0.08%              |
| CARDIAC MONITORING                  | 4               | 0.31%              |
| CARDIAC MONITORING ABNORMAL         | 1               | 0.08%              |
| CARDIAC MURMUR                      | 1               | 0.08%              |
| CARDIAC STRESS TEST NORMAL          | 4               | 0.31%              |
| CARDIAC TAMPONADE                   | 2               | 0.16%              |
| CARDIAC TELEMETRY ABNORMAL          | 2               | 0.16%              |
| CARDIAC TELEMETRY NORMAL            | 1               | 0.08%              |
| CARDIAC VENTRICULOGRAM LEFT         | 1               | 0.08%              |
| CARDIAC VENTRICULOGRAM LEFT NORMAL  | 1               | 0.08%              |
| CARDIO-RESPIRATORY ARREST           | 5               | 0.39%              |
| CARDIOGENIC SHOCK                   | 3               | 0.23%              |
| CARDIOLIPIN ANTIBODY                | 1               | 0.08%              |
| CARDIOLIPIN ANTIBODY NEGATIVE       | 2               | 0.16%              |
| CARDIOMEGALY                        | 4               | 0.31%              |
| CARDIOMYOPATHY                      | 1               | 0.08%              |

| Symptoms                                | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| CARDIOVASCULAR EVALUATION               | 5               | 0.39%              |
| CARDIOVERSION                           | 6               | 0.47%              |
| CAROTID ARTERIOSCLEROSIS                | 1               | 0.08%              |
| CAROTID ARTERY OCCLUSION                | 1               | 0.08%              |
| CAROTID ARTERY STENOSIS                 | 1               | 0.08%              |
| CAST APPLICATION                        | 3               | 0.23%              |
| CATHETER PLACEMENT                      | 1               | 0.08%              |
| CATHETERISATION CARDIAC                 | 8               | 0.62%              |
| CATHETERISATION CARDIAC ABNORMAL        | 8               | 0.62%              |
| CATHETERISATION CARDIAC NORMAL          | 8               | 0.62%              |
| CELLULITIS                              | 2               | 0.16%              |
| CENTRAL NERVOUS SYSTEM LESION           | 1               | 0.08%              |
| CENTRAL VENOUS CATHETERISATION          | 2               | 0.16%              |
| CENTRAL VISION LOSS                     | 1               | 0.08%              |
| CEREBELLAR HAEMORRHAGE                  | 1               | 0.08%              |
| CEREBELLAR INFARCTION                   | 1               | 0.08%              |
| CEREBELLAR STROKE                       | 5               | 0.39%              |
| CEREBRAL ARTERY EMBOLISM                | 2               | 0.16%              |
| CEREBRAL ARTERY OCCLUSION               | 2               | 0.16%              |
| CEREBRAL ARTERY STENOSIS                | 2               | 0.16%              |
| CEREBRAL ATROPHY                        | 1               | 0.08%              |
| CEREBRAL DISORDER                       | 1               | 0.08%              |
| CEREBRAL HAEMATOMA                      | 1               | 0.08%              |
| CEREBRAL HAEMORRHAGE                    | 14              | 1.09%              |
| CEREBRAL INFARCTION                     | 4               | 0.31%              |
| CEREBRAL SMALL VESSEL ISCHAEMIC DISEASE | 1               | 0.08%              |
| CEREBRAL VENOUS SINUS THROMBOSIS        | 1               | 0.08%              |
| CEREBRAL VENTRICLE DILATATION           | 1               | 0.08%              |
| CEREBROVASCULAR ACCIDENT                | 64              | 4.98%              |
| CERULOPLASMIN                           | 1               | 0.08%              |
| CERVICAL SPINAL STENOSIS                | 1               | 0.08%              |
| CHAPPED LIPS                            | 1               | 0.08%              |
| CHEILITIS                               | 1               | 0.08%              |
| CHEMOTHERAPY                            | 1               | 0.08%              |
| CHEST DISCOMFORT                        | 62              | 4.82%              |
| CHEST INJURY                            | 1               | 0.08%              |
| CHEST PAIN                              | 63              | 4.90%              |
| CHEST TUBE INSERTION                    | 1               | 0.08%              |
| CHEST X-RAY                             | 59              | 4.59%              |
| CHEST X-RAY ABNORMAL                    | 22              | 1.71%              |
| CHEST X-RAY NORMAL                      | 30              | 2.33%              |
| CHILLS                                  | 95              | 7.39%              |
| CHOKING                                 | 3               | 0.23%              |
| CHOKING SENSATION                       | 2               | 0.16%              |
| CHOLECYSTECTOMY                         | 2               | 0.16%              |
| CHOLELITHIASIS                          | 2               | 0.16%              |
| CHROMATURIA                             | 1               | 0.08%              |
| CHROMOSOME ANALYSIS NORMAL              | 1               | 0.08%              |
| CHRONIC OBSTRUCTIVE PULMONARY DISEASE   | 3               | 0.23%              |
| CIRCULATORY COLLAPSE                    | 1               | 0.08%              |
| CLOSTRIDIUM DIFFICILE INFECTION         | 2               | 0.16%              |
| CLOSTRIDIUM TEST POSITIVE               | 1               | 0.08%              |
| CLUMSINESS                              | 1               | 0.08%              |
| COAGULATION FACTOR V LEVEL              | 2               | 0.16%              |
| COAGULATION TEST                        | 5               | 0.39%              |
| COAGULATION TEST NORMAL                 | 4               | 0.31%              |
| COAGULATION TIME                        | 2               | 0.16%              |
| COGNITIVE DISORDER                      | 7               | 0.54%              |
| COGNITIVE LINGUISTIC DEFICIT            | 1               | 0.08%              |
| COLD SWEAT                              | 2               | 0.16%              |
| COLONOSCOPY                             | 1               | 0.08%              |
| COLONOSCOPY ABNORMAL                    | 1               | 0.08%              |
| COLOSTOMY                               | 1               | 0.08%              |

| Symptoms                                     | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| COMA   | 1               | 0.08%              |
| COMA ACIDOTIC                                | 1               | 0.08%              |
| COMA SCALE NORMAL                            | 1               | 0.08%              |
| COMMINUTED FRACTURE                          | 1               | 0.08%              |
| COMMUNICATION DISORDER                       | 6               | 0.47%              |
| COMPLEMENT FACTOR C3                         | 2               | 0.16%              |
| COMPLEMENT FACTOR C4                         | 2               | 0.16%              |
| COMPLEMENT FACTOR NORMAL                     | 1               | 0.08%              |
| COMPLEX REGIONAL PAIN SYNDROME               | 1               | 0.08%              |
| COMPLICATED APPENDICITIS                     | 2               | 0.16%              |
| COMPUTERISED TOMOGRAM                        | 76              | 5.91%              |
| COMPUTERISED TOMOGRAM ABDOMEN                | 14              | 1.09%              |
| COMPUTERISED TOMOGRAM ABDOMEN ABNORMAL       | 13              | 1.01%              |
| COMPUTERISED TOMOGRAM ABDOMEN NORMAL         | 5               | 0.39%              |
| COMPUTERISED TOMOGRAM ABNORMAL               | 23              | 1.79%              |
| COMPUTERISED TOMOGRAM CORONARY ARTERY        | 1               | 0.08%              |
| COMPUTERISED TOMOGRAM CORONARY ARTERY NORMAL | 1               | 0.08%              |
| COMPUTERISED TOMOGRAM HEAD                   | 39              | 3.04%              |
| COMPUTERISED TOMOGRAM HEAD ABNORMAL          | 24              | 1.87%              |
| COMPUTERISED TOMOGRAM HEAD NORMAL            | 24              | 1.87%              |
| COMPUTERISED TOMOGRAM INTESTINE              | 1               | 0.08%              |
| COMPUTERISED TOMOGRAM NECK                   | 5               | 0.39%              |
| COMPUTERISED TOMOGRAM NORMAL                 | 12              | 0.93%              |
| COMPUTERISED TOMOGRAM PANCREAS NORMAL        | 1               | 0.08%              |
| COMPUTERISED TOMOGRAM PELVIS                 | 5               | 0.39%              |
| COMPUTERISED TOMOGRAM PELVIS ABNORMAL        | 2               | 0.16%              |
| COMPUTERISED TOMOGRAM SPINE                  | 8               | 0.62%              |
| COMPUTERISED TOMOGRAM THORAX                 | 26              | 2.02%              |
| COMPUTERISED TOMOGRAM THORAX ABNORMAL        | 13              | 1.01%              |
| COMPUTERISED TOMOGRAM THORAX NORMAL          | 6               | 0.47%              |
| CONCUSSION                                   | 1               | 0.08%              |
| CONDITION AGGRAVATED                         | 77              | 5.99%              |
| CONFUSIONAL STATE                            | 40              | 3.11%              |
| CONGESTIVE CARDIOMYOPATHY                    | 1               | 0.08%              |
| CONSCIOUSNESS FLUCTUATING                    | 1               | 0.08%              |
| CONSTIPATION                                 | 2               | 0.16%              |
| CONTINUOUS POSITIVE AIRWAY PRESSURE          | 1               | 0.08%              |
| CONTRAST MEDIA ALLERGY                       | 1               | 0.08%              |
| CONTUSION                                    | 10              | 0.78%              |
| COOMBS DIRECT TEST NEGATIVE                  | 1               | 0.08%              |
| COORDINATION ABNORMAL                        | 4               | 0.31%              |
| COR PULMONALE                                | 1               | 0.08%              |
| COR PULMONALE ACUTE                          | 1               | 0.08%              |
| CORNEAL REFLEX DECREASED                     | 1               | 0.08%              |
| CORONARY ARTERIAL STENT INSERTION            | 6               | 0.47%              |
| CORONARY ARTERY BYPASS                       | 2               | 0.16%              |
| CORONARY ARTERY DISEASE                      | 3               | 0.23%              |
| CORONARY ARTERY DISSECTION                   | 1               | 0.08%              |
| CORONARY ARTERY OCCLUSION                    | 5               | 0.39%              |
| CORONARY ARTERY STENOSIS                     | 4               | 0.31%              |
| CORONAVIRUS TEST NEGATIVE                    | 1               | 0.08%              |
| CORTISOL NORMAL                              | 1               | 0.08%              |
| COUGH  | 52              | 4.05%              |
| COVID-19                                     | 25              | 1.95%              |
| COVID-19 PNEUMONIA                           | 5               | 0.39%              |
| COXSACKIE VIRUS TEST                         | 1               | 0.08%              |
| COXSACKIE VIRUS TEST POSITIVE                | 1               | 0.08%              |
| CRANIAL NERVE INJURY                         | 1               | 0.08%              |
| CRANIOTOMY                                   | 2               | 0.16%              |
| CREPITATIONS                                 | 1               | 0.08%              |
| CRITICAL ILLNESS                             | 2               | 0.16%              |
| CROHN'S DISEASE                              | 1               | 0.08%              |
| CRYING                                       | 1               | 0.08%              |

| Symptoms                                     | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| CRYPTOCOCCUS TEST                            | 2               | 0.16%              |
| CSF CELL COUNT INCREASED                     | 1               | 0.08%              |
| CSF CELL COUNT NORMAL                        | 2               | 0.16%              |
| CSF CULTURE                                  | 2               | 0.16%              |
| CSF CULTURE NEGATIVE                         | 3               | 0.23%              |
| CSF CULTURE POSITIVE                         | 1               | 0.08%              |
| CSF GLUCOSE INCREASED                        | 1               | 0.08%              |
| CSF GLUCOSE NORMAL                           | 3               | 0.23%              |
| CSF IMMUNOGLOBULIN G INDEX                   | 1               | 0.08%              |
| CSF LACTATE DEHYDROGENASE NORMAL             | 1               | 0.08%              |
| CSF LYMPHOCYTE COUNT ABNORMAL                | 1               | 0.08%              |
| CSF NEUTROPHIL COUNT INCREASED               | 1               | 0.08%              |
| CSF OLIGOCLONAL BAND                         | 1               | 0.08%              |
| CSF PRESSURE INCREASED                       | 2               | 0.16%              |
| CSF PROTEIN INCREASED                        | 5               | 0.39%              |
| CSF PROTEIN NORMAL                           | 2               | 0.16%              |
| CSF RED BLOOD CELL COUNT POSITIVE            | 2               | 0.16%              |
| CSF TEST                                     | 1               | 0.08%              |
| CSF TEST NORMAL                              | 1               | 0.08%              |
| CSF WHITE BLOOD CELL COUNT INCREASED         | 1               | 0.08%              |
| CULTURE                                      | 2               | 0.16%              |
| CULTURE NEGATIVE                             | 4               | 0.31%              |
| CULTURE STOOL                                | 2               | 0.16%              |
| CULTURE URINE                                | 3               | 0.23%              |
| CULTURE URINE NEGATIVE                       | 6               | 0.47%              |
| CULTURE WOUND POSITIVE                       | 2               | 0.16%              |
| CYANOSIS                                     | 8               | 0.62%              |
| CYTOGENETIC ANALYSIS NORMAL                  | 1               | 0.08%              |
| CYTOKINE STORM                               | 1               | 0.08%              |
| CYTOMEGALOVIRUS TEST NEGATIVE                | 2               | 0.16%              |
| DEAFNESS                                     | 12              | 0.93%              |
| DEAFNESS BILATERAL                           | 2               | 0.16%              |
| DEAFNESS NEUROSENSORY                        | 11              | 0.86%              |
| DEAFNESS TRANSITORY                          | 2               | 0.16%              |
| DEAFNESS UNILATERAL                          | 14              | 1.09%              |
| DEATH  | 24              | 1.87%              |
| DECREASED APPETITE                           | 25              | 1.95%              |
| DEEP VEIN THROMBOSIS                         | 21              | 1.63%              |
| DEFAECATION URGENCY                          | 1               | 0.08%              |
| DEHYDRATION                                  | 6               | 0.47%              |
| DELIRIUM                                     | 2               | 0.16%              |
| DELUSION                                     | 1               | 0.08%              |
| DEMYELINATING POLYNEUROPATHY                 | 1               | 0.08%              |
| DEMYELINATION                                | 1               | 0.08%              |
| DEPENDENCE ON OXYGEN THERAPY                 | 1               | 0.08%              |
| DEPENDENCE ON RESPIRATOR                     | 3               | 0.23%              |
| DEPRESSED LEVEL OF CONSCIOUSNESS             | 6               | 0.47%              |
| DEVICE MALFUNCTION                           | 1               | 0.08%              |
| DIABETES MELLITUS                            | 1               | 0.08%              |
| DIABETIC KETOACIDOSIS                        | 6               | 0.47%              |
| DIALYSIS                                     | 2               | 0.16%              |
| DIAPHRAGMATIC SPASM                          | 1               | 0.08%              |
| DIARRHOEA                                    | 31              | 2.41%              |
| DIARRHOEA HAEMORRHAGIC                       | 3               | 0.23%              |
| DIASTOLIC DYSFUNCTION                        | 2               | 0.16%              |
| DIET REFUSAL                                 | 1               | 0.08%              |
| DIFFERENTIAL WHITE BLOOD CELL COUNT          | 8               | 0.62%              |
| DIFFERENTIAL WHITE BLOOD CELL COUNT ABNORMAL | 1               | 0.08%              |
| DIFFERENTIAL WHITE BLOOD CELL COUNT NORMAL   | 3               | 0.23%              |
| DIPLOPIA                                     | 8               | 0.62%              |
| DISABILITY                                   | 4               | 0.31%              |
| DISCOMFORT                                   | 6               | 0.47%              |
| DISCOURAGEMENT                               | 1               | 0.08%              |

| Symptoms  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| DISORGANISED SPEECH                                   | 1               | 0.08%              |
| DISORIENTATION  | 15              | 1.17%              |
| DISSEMINATED INTRAVASCULAR COAGULATION                | 2               | 0.16%              |
| DISTURBANCE IN ATTENTION                              | 4               | 0.31%              |
| DIVERTICULITIS  | 2               | 0.16%              |
| DIVERTICULUM  | 1               | 0.08%              |
| DIVERTICULUM INTESTINAL HAEMORRHAGIC                  | 1               | 0.08%              |
| DIZZINESS   | 137             | 10.66%             |
| DIZZINESS POSTURAL                                    | 1               | 0.08%              |
| DRAIN PLACEMENT                                       | 1               | 0.08%              |
| DROOLING  | 4               | 0.31%              |
| DRUG INTERACTION                                      | 1               | 0.08%              |
| DRUG REACTION WITH EOSINOPHILIA AND SYSTEMIC SYMPTOMS | 1               | 0.08%              |
| DRUG SCREEN   | 2               | 0.16%              |
| DRUG SCREEN NEGATIVE                                  | 4               | 0.31%              |
| DRY EYE   | 3               | 0.23%              |
| DRY MOUTH   | 8               | 0.62%              |
| DRY SKIN  | 2               | 0.16%              |
| DRY THROAT  | 6               | 0.47%              |
| DUPUYTREN'S CONTRACTURE                               | 1               | 0.08%              |
| DYSARTHRIA  | 27              | 2.10%              |
| DYSCHROMATOPSIA                                       | 1               | 0.08%              |
| DYSGEUSIA   | 8               | 0.62%              |
| DYSGRAPHIA  | 2               | 0.16%              |
| DYSKINESIA  | 4               | 0.31%              |
| DYSPEPSIA   | 1               | 0.08%              |
| DYSPHAGIA   | 45              | 3.50%              |
| DYSPHONIA   | 20              | 1.56%              |
| DYSPNOEA  | 228             | 17.74%             |
| DYSPNOEA EXERTIONAL                                   | 12              | 0.93%              |
| DYSSTASIA   | 19              | 1.48%              |
| DYSURIA   | 1               | 0.08%              |
| EAR DISCOMFORT  | 10              | 0.78%              |
| EAR INJURY  | 1               | 0.08%              |
| EAR PAIN  | 8               | 0.62%              |
| EAR PRURITUS  | 1               | 0.08%              |
| EAR, NOSE AND THROAT EXAMINATION ABNORMAL             | 1               | 0.08%              |
| EAR, NOSE AND THROAT EXAMINATION NORMAL               | 1               | 0.08%              |
| ECCHYMOSIS  | 3               | 0.23%              |
| ECHOCARDIOGRAM  | 47              | 3.66%              |
| ECHOCARDIOGRAM ABNORMAL                               | 16              | 1.25%              |
| ECHOCARDIOGRAM NORMAL                                 | 23              | 1.79%              |
| ECHOVIRUS TEST NEGATIVE                               | 1               | 0.08%              |
| EJECTION FRACTION                                     | 3               | 0.23%              |
| EJECTION FRACTION DECREASED                           | 8               | 0.62%              |
| EJECTION FRACTION NORMAL                              | 3               | 0.23%              |
| ELECTROCARDIOGRAM                                     | 87              | 6.77%              |
| ELECTROCARDIOGRAM ABNORMAL                            | 26              | 2.02%              |
| ELECTROCARDIOGRAM AMBULATORY                          | 5               | 0.39%              |
| ELECTROCARDIOGRAM AMBULATORY ABNORMAL                 | 1               | 0.08%              |
| ELECTROCARDIOGRAM CHANGE                              | 1               | 0.08%              |
| ELECTROCARDIOGRAM NORMAL                              | 34              | 2.65%              |
| ELECTROCARDIOGRAM PR SHORTENED                        | 1               | 0.08%              |
| ELECTROCARDIOGRAM ST SEGMENT ABNORMAL                 | 2               | 0.16%              |
| ELECTROCARDIOGRAM ST SEGMENT DEPRESSION               | 3               | 0.23%              |
| ELECTROCARDIOGRAM ST SEGMENT ELEVATION                | 7               | 0.54%              |
| ELECTROCARDIOGRAM ST-T SEGMENT ABNORMAL               | 2               | 0.16%              |
| ELECTROCARDIOGRAM T WAVE ABNORMAL                     | 1               | 0.08%              |
| ELECTROCARDIOGRAM T WAVE INVERSION                    | 2               | 0.16%              |
| ELECTROENCEPHALOGRAM                                  | 11              | 0.86%              |
| ELECTROENCEPHALOGRAM NORMAL                           | 7               | 0.54%              |
| ELECTROLYTE IMBALANCE                                 | 1               | 0.08%              |
| ELECTROMYOGRAM  | 2               | 0.16%              |

| Symptoms                                      | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| ELECTROMYOGRAM ABNORMAL                       | 2               | 0.16%              |
| ELECTROMYOGRAM NORMAL                         | 2               | 0.16%              |
| ELECTROPHORESIS PROTEIN                       | 1               | 0.08%              |
| ELECTROPHORESIS PROTEIN NORMAL                | 1               | 0.08%              |
| EMBOLIC STROKE                                | 3               | 0.23%              |
| EMBOLISM                                      | 2               | 0.16%              |
| EMOTIONAL DISTRESS                            | 2               | 0.16%              |
| ENCEPHALITIS                                  | 1               | 0.08%              |
| ENCEPHALOPATHY                                | 4               | 0.31%              |
| ENDOCARDITIS                                  | 1               | 0.08%              |
| ENDOSCOPIC ULTRASOUND ABNORMAL                | 1               | 0.08%              |
| ENDOSCOPY UPPER GASTROINTESTINAL TRACT NORMAL | 1               | 0.08%              |
| ENDOTRACHEAL INTUBATION                       | 42              | 3.27%              |
| ENDOTRACHEAL INTUBATION COMPLICATION          | 1               | 0.08%              |
| ENLARGED UVULA                                | 3               | 0.23%              |
| ENZYME ABNORMALITY                            | 1               | 0.08%              |
| EOSINOPHIL COUNT                              | 1               | 0.08%              |
| EOSINOPHIL COUNT DECREASED                    | 5               | 0.39%              |
| EOSINOPHIL COUNT NORMAL                       | 4               | 0.31%              |
| EOSINOPHIL PERCENTAGE                         | 3               | 0.23%              |
| EOSINOPHIL PERCENTAGE DECREASED               | 5               | 0.39%              |
| EPISTAXIS                                     | 12              | 0.93%              |
| EPSTEIN-BARR VIRUS ANTIBODY                   | 1               | 0.08%              |
| EPSTEIN-BARR VIRUS ANTIBODY POSITIVE          | 1               | 0.08%              |
| EPSTEIN-BARR VIRUS TEST                       | 2               | 0.16%              |
| EPSTEIN-BARR VIRUS TEST NEGATIVE              | 2               | 0.16%              |
| ERYTHEMA                                      | 30              | 2.33%              |
| EXPLORATORY OPERATION                         | 1               | 0.08%              |
| EXPOSURE DURING PREGNANCY                     | 9               | 0.70%              |
| EXPOSURE TO SARS-COV-2                        | 2               | 0.16%              |
| EXTERNAL EAR PAIN                             | 2               | 0.16%              |
| EXTRA DOSE ADMINISTERED                       | 2               | 0.16%              |
| EXTRADURAL ABSCESS                            | 1               | 0.08%              |
| EXTRAOCULAR MUSCLE PARESIS                    | 2               | 0.16%              |
| EYE DISCHARGE                                 | 1               | 0.08%              |
| EYE DISORDER                                  | 1               | 0.08%              |
| EYE INFLAMMATION                              | 1               | 0.08%              |
| EYE IRRITATION                                | 1               | 0.08%              |
| EYE MOVEMENT DISORDER                         | 4               | 0.31%              |
| EYE PAIN                                      | 6               | 0.47%              |
| EYE PRURITUS                                  | 3               | 0.23%              |
| EYE SWELLING                                  | 8               | 0.62%              |
| EYELID DISORDER                               | 1               | 0.08%              |
| EYELID FUNCTION DISORDER                      | 5               | 0.39%              |
| EYELID PTOSIS                                 | 3               | 0.23%              |
| FACE INJURY                                   | 1               | 0.08%              |
| FACIAL ASYMMETRY                              | 2               | 0.16%              |
| FACIAL BONES FRACTURE                         | 3               | 0.23%              |
| FACIAL NEURALGIA                              | 1               | 0.08%              |
| FACIAL PAIN                                   | 4               | 0.31%              |
| FACIAL PARALYSIS                              | 55              | 4.28%              |
| FACIAL PARESIS                                | 10              | 0.78%              |
| FACTOR II MUTATION                            | 1               | 0.08%              |
| FAECALOMA                                     | 2               | 0.16%              |
| FALL  | 38              | 2.96%              |
| FATIGUE                                       | 96              | 7.47%              |
| FEAR  | 6               | 0.47%              |
| FEEDING DISORDER                              | 11              | 0.86%              |
| FEELING ABNORMAL                              | 39              | 3.04%              |
| FEELING COLD                                  | 14              | 1.09%              |
| FEELING DRUNK                                 | 3               | 0.23%              |
| FEELING HOT                                   | 19              | 1.48%              |
| FEELING JITTERY                               | 3               | 0.23%              |

| Symptoms                                   | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| FEELING OF BODY TEMPERATURE CHANGE         | 1               | 0.08%              |
| FIBRIN D DIMER                             | 7               | 0.54%              |
| FIBRIN D DIMER INCREASED                   | 30              | 2.33%              |
| FIBRIN D DIMER NORMAL                      | 2               | 0.16%              |
| FINE MOTOR SKILL DYSFUNCTION               | 4               | 0.31%              |
| FLANK PAIN                                 | 7               | 0.54%              |
| FLATULENCE                                 | 1               | 0.08%              |
| FLOW CYTOMETRY                             | 1               | 0.08%              |
| FLUID INTAKE REDUCED                       | 4               | 0.31%              |
| FLUID RETENTION                            | 1               | 0.08%              |
| FLUSHING                                   | 28              | 2.18%              |
| FOAMING AT MOUTH                           | 2               | 0.16%              |
| FOETAL DEATH                               | 2               | 0.16%              |
| FOETAL NON-STRESS TEST                     | 1               | 0.08%              |
| FOOD ALLERGY                               | 1               | 0.08%              |
| FOOT DEFORMITY                             | 1               | 0.08%              |
| FORCED EXPIRATORY FLOW                     | 1               | 0.08%              |
| FORCED EXPIRATORY VOLUME                   | 1               | 0.08%              |
| FORCED EXPIRATORY VOLUME DECREASED         | 1               | 0.08%              |
| FULL BLOOD COUNT                           | 71              | 5.53%              |
| FULL BLOOD COUNT ABNORMAL                  | 3               | 0.23%              |
| FULL BLOOD COUNT NORMAL                    | 32              | 2.49%              |
| FUNDOSCOPY                                 | 1               | 0.08%              |
| FUNGAL DISEASE CARRIER                     | 1               | 0.08%              |
| GAIT DISTURBANCE                           | 36              | 2.80%              |
| GAIT INABILITY                             | 22              | 1.71%              |
| GAMMA-GLUTAMYLTRANSFERASE INCREASED        | 1               | 0.08%              |
| GASTRIC ULCER HAEMORRHAGE                  | 1               | 0.08%              |
| GASTROINTESTINAL DISORDER                  | 1               | 0.08%              |
| GASTROINTESTINAL HAEMORRHAGE               | 5               | 0.39%              |
| GASTROINTESTINAL TUBE INSERTION            | 1               | 0.08%              |
| GASTROSTOMY                                | 1               | 0.08%              |
| GAZE PALSY                                 | 3               | 0.23%              |
| GENE MUTATION IDENTIFICATION TEST          | 1               | 0.08%              |
| GENE MUTATION IDENTIFICATION TEST NEGATIVE | 1               | 0.08%              |
| GENERAL PHYSICAL CONDITION ABNORMAL        | 1               | 0.08%              |
| GENERAL PHYSICAL HEALTH DETERIORATION      | 4               | 0.31%              |
| GENERALISED TONIC-CLONIC SEIZURE           | 4               | 0.31%              |
| GESTATIONAL DIABETES                       | 1               | 0.08%              |
| GINGIVAL BLEEDING                          | 3               | 0.23%              |
| GINGIVAL PAIN                              | 1               | 0.08%              |
| GLOBULIN                                   | 2               | 0.16%              |
| GLOBULINS DECREASED                        | 1               | 0.08%              |
| GLOMERULAR FILTRATION RATE                 | 2               | 0.16%              |
| GLOMERULAR FILTRATION RATE DECREASED       | 9               | 0.70%              |
| GLOSSODYNIA                                | 3               | 0.23%              |
| GLUCOSE TOLERANCE TEST ABNORMAL            | 1               | 0.08%              |
| GLYCOSYLATED HAEMOGLOBIN                   | 4               | 0.31%              |
| GLYCOSYLATED HAEMOGLOBIN INCREASED         | 1               | 0.08%              |
| GLYCOSYLATED HAEMOGLOBIN NORMAL            | 2               | 0.16%              |
| GRAM STAIN                                 | 1               | 0.08%              |
| GRAM STAIN NEGATIVE                        | 1               | 0.08%              |
| GRAM STAIN POSITIVE                        | 1               | 0.08%              |
| GRANULOCYTE COUNT                          | 2               | 0.16%              |
| GRANULOCYTE COUNT DECREASED                | 1               | 0.08%              |
| GRANULOCYTE PERCENTAGE                     | 2               | 0.16%              |
| GRANULOCYTOPENIA                           | 1               | 0.08%              |
| GRIP STRENGTH DECREASED                    | 10              | 0.78%              |
| GROIN PAIN                                 | 1               | 0.08%              |
| GUILLAIN-BARRE SYNDROME                    | 20              | 1.56%              |
| H1N1 INFLUENZA                             | 1               | 0.08%              |
| HAEMARTHROSIS                              | 1               | 0.08%              |
| HAEMATEMESIS                               | 1               | 0.08%              |

| Symptoms                               | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| HAEMATOCHEZIA                          | 1               | 0.08%              |
| HAEMATOCRIT DECREASED                  | 8               | 0.62%              |
| HAEMATOCRIT NORMAL                     | 11              | 0.86%              |
| HAEMATOMA                              | 1               | 0.08%              |
| HAEMATURIA                             | 3               | 0.23%              |
| HAEMOGLOBIN                            | 1               | 0.08%              |
| HAEMOGLOBIN DECREASED                  | 25              | 1.95%              |
| HAEMOGLOBIN INCREASED                  | 1               | 0.08%              |
| HAEMOGLOBIN NORMAL                     | 14              | 1.09%              |
| HAEMOLYSIS                             | 1               | 0.08%              |
| HAEMOLYTIC ANAEMIA                     | 3               | 0.23%              |
| HAEMOPERITONEUM                        | 2               | 0.16%              |
| HAEMOPHAGOCYTIC LYMPHOHISTIOCYTOSIS    | 1               | 0.08%              |
| HAEMOPTYSIS                            | 3               | 0.23%              |
| HAEMORRHAGE                            | 8               | 0.62%              |
| HAEMORRHAGE INTRACRANIAL               | 2               | 0.16%              |
| HAEMORRHAGE SUBEPIDERMAL               | 1               | 0.08%              |
| HAEMORRHAGIC STROKE                    | 3               | 0.23%              |
| HAND-EYE COORDINATION IMPAIRED         | 2               | 0.16%              |
| HAPTOGLOBIN                            | 1               | 0.08%              |
| HEAD DISCOMFORT                        | 3               | 0.23%              |
| HEAD INJURY                            | 4               | 0.31%              |
| HEAD TITUBATION                        | 1               | 0.08%              |
| HEADACHE                               | 140             | 10.89%             |
| HEARING DISABILITY                     | 1               | 0.08%              |
| HEART RATE DECREASED                   | 3               | 0.23%              |
| HEART RATE INCREASED                   | 46              | 3.58%              |
| HEART RATE IRREGULAR                   | 6               | 0.47%              |
| HELICOBACTER TEST NEGATIVE             | 1               | 0.08%              |
| HEMIANOPIA                             | 2               | 0.16%              |
| HEMIPARESIS                            | 24              | 1.87%              |
| HEMIPLEGIA                             | 6               | 0.47%              |
| HEPATIC CYST                           | 1               | 0.08%              |
| HEPATIC EMBOLISATION                   | 1               | 0.08%              |
| HEPATIC ENCEPHALOPATHY                 | 1               | 0.08%              |
| HEPATIC ENZYME INCREASED               | 3               | 0.23%              |
| HEPATIC LESION                         | 1               | 0.08%              |
| HEPATIC STEATOSIS                      | 1               | 0.08%              |
| HEPATITIS                              | 1               | 0.08%              |
| HEPATITIS B ANTIBODY NEGATIVE          | 1               | 0.08%              |
| HEPATITIS B SURFACE ANTIGEN            | 1               | 0.08%              |
| HEPATITIS B TEST NEGATIVE              | 2               | 0.16%              |
| HEPATITIS C ANTIBODY NEGATIVE          | 2               | 0.16%              |
| HEPATITIS C TEST NEGATIVE              | 1               | 0.08%              |
| HEPATITIS C VIRUS TEST                 | 1               | 0.08%              |
| HEPATITIS VIRAL TEST                   | 1               | 0.08%              |
| HEPATITIS VIRAL TEST NEGATIVE          | 2               | 0.16%              |
| HERPES OPHTHALMIC                      | 1               | 0.08%              |
| HERPES SIMPLEX ENCEPHALITIS            | 1               | 0.08%              |
| HERPES SIMPLEX TEST NEGATIVE           | 1               | 0.08%              |
| HERPES ZOSTER                          | 5               | 0.39%              |
| HERPES ZOSTER OTICUS                   | 1               | 0.08%              |
| HIGH DENSITY LIPOPROTEIN DECREASED     | 1               | 0.08%              |
| HIP FRACTURE                           | 3               | 0.23%              |
| HIP SURGERY                            | 2               | 0.16%              |
| HIV TEST                               | 4               | 0.31%              |
| HIV TEST NEGATIVE                      | 2               | 0.16%              |
| HORMONE LEVEL ABNORMAL                 | 1               | 0.08%              |
| HOSPICE CARE                           | 1               | 0.08%              |
| HOT FLUSH                              | 8               | 0.62%              |
| HUMAN CHORIONIC GONADOTROPIN           | 1               | 0.08%              |
| HUMAN CHORIONIC GONADOTROPIN DECREASED | 1               | 0.08%              |
| HUMAN CHORIONIC GONADOTROPIN NEGATIVE  | 2               | 0.16%              |

| Symptoms   | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| HUMAN CHORIONIC GONADOTROPIN POSITIVE            | 1               | 0.08%              |
| HUMAN HERPES VIRUS 6 SEROLOGY NEGATIVE           | 1               | 0.08%              |
| HUMERUS FRACTURE                                 | 1               | 0.08%              |
| HYPERACUSIS                                      | 1               | 0.08%              |
| HYPERAEMIA                                       | 1               | 0.08%              |
| HYPERAESTHESIA                                   | 2               | 0.16%              |
| HYPERCALCAEMIA                                   | 1               | 0.08%              |
| HYPERCAPNIA                                      | 1               | 0.08%              |
| HYPERCOAGULATION                                 | 2               | 0.16%              |
| HYPERGLYCAEMIA                                   | 2               | 0.16%              |
| HYPERHIDROSIS                                    | 40              | 3.11%              |
| HYPERLIPIDAEMIA                                  | 1               | 0.08%              |
| HYPERREFLEXIA                                    | 1               | 0.08%              |
| HYPERSENSITIVITY                                 | 11              | 0.86%              |
| HYPERSOMNIA                                      | 4               | 0.31%              |
| HYPERTENSION                                     | 32              | 2.49%              |
| HYPERTENSIVE EMERGENCY                           | 2               | 0.16%              |
| HYPERTENSIVE URGENCY                             | 1               | 0.08%              |
| HYPERTROPHY OF TONGUE PAPILLAE                   | 1               | 0.08%              |
| HYPERVENTILATION                                 | 2               | 0.16%              |
| HYPOACUSIS                                       | 10              | 0.78%              |
| HYPOAESTHESIA                                    | 86              | 6.69%              |
| HYPOAESTHESIA ORAL                               | 22              | 1.71%              |
| HYPOGEUSIA                                       | 1               | 0.08%              |
| HYPOGLYCAEMIA                                    | 1               | 0.08%              |
| HYPOKALAEMIA                                     | 2               | 0.16%              |
| HYPOKINESIA                                      | 2               | 0.16%              |
| HYPOMAGNESAEMIA                                  | 1               | 0.08%              |
| HYPONATRAEMIA                                    | 2               | 0.16%              |
| HYPOPHAGIA                                       | 1               | 0.08%              |
| HYPOPNOEA  | 4               | 0.31%              |
| HYPOREFLEXIA                                     | 2               | 0.16%              |
| HYPORESPONSIVE TO STIMULI                        | 1               | 0.08%              |
| HYPOTENSION                                      | 31              | 2.41%              |
| HYPOTONIA  | 4               | 0.31%              |
| HYPOVOLAEMIC SHOCK                               | 1               | 0.08%              |
| HYPOXIA  | 21              | 1.63%              |
| HYPOXIC-ISCHAEMIC ENCEPHALOPATHY                 | 1               | 0.08%              |
| HYSTEROSALPINGO-OOPHORECTOMY                     | 1               | 0.08%              |
| IIIRD NERVE PARESIS                              | 1               | 0.08%              |
| IL-2 RECEPTOR ASSAY                              | 1               | 0.08%              |
| ILLNESS  | 2               | 0.16%              |
| IMAGING PROCEDURE                                | 2               | 0.16%              |
| IMAGING PROCEDURE ABNORMAL                       | 1               | 0.08%              |
| IMMATURE GRANULOCYTE COUNT INCREASED             | 5               | 0.39%              |
| IMMATURE GRANULOCYTE PERCENTAGE INCREASED        | 2               | 0.16%              |
| IMMEDIATE POST-INJECTION REACTION                | 27              | 2.10%              |
| IMMOBILE   | 1               | 0.08%              |
| IMMUNE COMPLEX ASSAY                             | 1               | 0.08%              |
| IMMUNE THROMBOCYTOPENIA                          | 17              | 1.32%              |
| IMMUNE-MEDIATED ADVERSE REACTION                 | 1               | 0.08%              |
| IMMUNODEFICIENCY                                 | 1               | 0.08%              |
| IMMUNOGLOBULIN THERAPY                           | 23              | 1.79%              |
| IMMUNOGLOBULINS                                  | 1               | 0.08%              |
| IMMUNOLOGY TEST                                  | 1               | 0.08%              |
| IMMUNOSUPPRESSION                                | 1               | 0.08%              |
| IMPAIRED DRIVING ABILITY                         | 8               | 0.62%              |
| IMPAIRED WORK ABILITY                            | 32              | 2.49%              |
| IMPLANTABLE CARDIAC MONITOR INSERTION            | 1               | 0.08%              |
| IMPLANTABLE DEFIBRILLATOR INSERTION              | 3               | 0.23%              |
| INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION | 2               | 0.16%              |
| INCOHERENT                                       | 1               | 0.08%              |
| INCOMPLETE COURSE OF VACCINATION                 | 1               | 0.08%              |

| Symptoms                                  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| INCORRECT ROUTE OF PRODUCT ADMINISTRATION | 1               | 0.08%              |
| INDUCED LABOUR                            | 1               | 0.08%              |
| INFARCTION                                | 1               | 0.08%              |
| INFECTION                                 | 1               | 0.08%              |
| INFLAMMATION                              | 9               | 0.70%              |
| INFLUENZA A VIRUS TEST                    | 2               | 0.16%              |
| INFLUENZA A VIRUS TEST NEGATIVE           | 1               | 0.08%              |
| INFLUENZA B VIRUS TEST                    | 3               | 0.23%              |
| INFLUENZA LIKE ILLNESS                    | 11              | 0.86%              |
| INFLUENZA VIRUS TEST                      | 2               | 0.16%              |
| INFLUENZA VIRUS TEST NEGATIVE             | 8               | 0.62%              |
| INFUSION SITE EXTRAVASATION               | 1               | 0.08%              |
| INJECTED LIMB MOBILITY DECREASED          | 15              | 1.17%              |
| INJECTION                                 | 1               | 0.08%              |
| INJECTION SITE BRUISING                   | 3               | 0.23%              |
| INJECTION SITE DISCOLOURATION             | 1               | 0.08%              |
| INJECTION SITE DISCOMFORT                 | 1               | 0.08%              |
| INJECTION SITE ERYTHEMA                   | 4               | 0.31%              |
| INJECTION SITE EXTRAVASATION              | 1               | 0.08%              |
| INJECTION SITE HAEMORRHAGE                | 1               | 0.08%              |
| INJECTION SITE HYPOAESTHESIA              | 4               | 0.31%              |
| INJECTION SITE INDURATION                 | 1               | 0.08%              |
| INJECTION SITE JOINT PAIN                 | 1               | 0.08%              |
| INJECTION SITE MASS                       | 2               | 0.16%              |
| INJECTION SITE MUSCLE WEAKNESS            | 1               | 0.08%              |
| INJECTION SITE OEDEMA                     | 1               | 0.08%              |
| INJECTION SITE PAIN                       | 49              | 3.81%              |
| INJECTION SITE PARAESTHESIA               | 3               | 0.23%              |
| INJECTION SITE PRURITUS                   | 7               | 0.54%              |
| INJECTION SITE RASH                       | 6               | 0.47%              |
| INJECTION SITE REACTION                   | 5               | 0.39%              |
| INJECTION SITE SWELLING                   | 9               | 0.70%              |
| INJECTION SITE VESICLES                   | 1               | 0.08%              |
| INJECTION SITE WARMTH                     | 4               | 0.31%              |
| INJURY                                    | 1               | 0.08%              |
| INNER EAR DISORDER                        | 2               | 0.16%              |
| INSOMNIA                                  | 13              | 1.01%              |
| INSULIN RESISTANCE                        | 1               | 0.08%              |
| INTENSIVE CARE                            | 82              | 6.38%              |
| INTERMITTENT CLAUDICATION                 | 1               | 0.08%              |
| INTERNAL CAPSULE INFARCTION               | 1               | 0.08%              |
| INTERNAL HAEMORRHAGE                      | 2               | 0.16%              |
| INTERNATIONAL NORMALISED RATIO            | 5               | 0.39%              |
| INTERNATIONAL NORMALISED RATIO DECREASED  | 3               | 0.23%              |
| INTERNATIONAL NORMALISED RATIO INCREASED  | 9               | 0.70%              |
| INTERNATIONAL NORMALISED RATIO NORMAL     | 5               | 0.39%              |
| INTERVERTEBRAL DISC DEGENERATION          | 1               | 0.08%              |
| INTERVERTEBRAL DISC OPERATION             | 1               | 0.08%              |
| INTERVERTEBRAL DISC PROTRUSION            | 2               | 0.16%              |
| INTESTINAL OBSTRUCTION                    | 1               | 0.08%              |
| INTESTINAL PERFORATION                    | 1               | 0.08%              |
| INTESTINAL RESECTION                      | 1               | 0.08%              |
| INTRA-ABDOMINAL HAEMORRHAGE               | 1               | 0.08%              |
| INTRA-AORTIC BALLOON PLACEMENT            | 1               | 0.08%              |
| INTRACEREBRAL HAEMATOMA EVACUATION        | 1               | 0.08%              |
| INTRACRANIAL MASS                         | 1               | 0.08%              |
| IRON DEFICIENCY ANAEMIA                   | 1               | 0.08%              |
| IRRITABILITY                              | 3               | 0.23%              |
| IRRITABLE BOWEL SYNDROME                  | 1               | 0.08%              |
| ISCHAEMIC STROKE                          | 9               | 0.70%              |
| JAUNDICE                                  | 2               | 0.16%              |
| JOINT CONTRACTURE                         | 1               | 0.08%              |
| JOINT INSTABILITY                         | 1               | 0.08%              |

| Symptoms  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| JOINT NOISE                                       | 1               | 0.08%              |
| JOINT RANGE OF MOTION DECREASED                   | 14              | 1.09%              |
| JOINT STIFFNESS                                   | 2               | 0.16%              |
| JOINT SWELLING                                    | 7               | 0.54%              |
| KARYOTYPE ANALYSIS NORMAL                         | 1               | 0.08%              |
| KETOACIDOSIS                                      | 2               | 0.16%              |
| KETOSIS   | 1               | 0.08%              |
| KIDNEY INFECTION                                  | 1               | 0.08%              |
| LABORATORY TEST                                   | 84              | 6.54%              |
| LABORATORY TEST ABNORMAL                          | 4               | 0.31%              |
| LABORATORY TEST NORMAL                            | 9               | 0.70%              |
| LACRIMATION INCREASED                             | 6               | 0.47%              |
| LACTIC ACIDOSIS                                   | 2               | 0.16%              |
| LACUNAR INFARCTION                                | 1               | 0.08%              |
| LAPAROSCOPIC SURGERY                              | 4               | 0.31%              |
| LARGE INTESTINE PERFORATION                       | 1               | 0.08%              |
| LARYNGEAL TREMOR                                  | 1               | 0.08%              |
| LARYNGOSCOPY                                      | 1               | 0.08%              |
| LARYNGOSCOPY NORMAL                               | 1               | 0.08%              |
| LEFT ATRIAL DILATATION                            | 1               | 0.08%              |
| LEFT ATRIAL ENLARGEMENT                           | 1               | 0.08%              |
| LEFT VENTRICULAR DYSFUNCTION                      | 2               | 0.16%              |
| LEFT VENTRICULAR END-DIASTOLIC PRESSURE INCREASED | 2               | 0.16%              |
| LEFT VENTRICULAR HYPERTROPHY                      | 3               | 0.23%              |
| LEGIONELLA TEST                                   | 1               | 0.08%              |
| LETHARGY  | 18              | 1.40%              |
| LEUKOCYTOSIS                                      | 6               | 0.47%              |
| LIFE SUPPORT                                      | 3               | 0.23%              |
| LIMB DISCOMFORT                                   | 5               | 0.39%              |
| LIMB INJURY                                       | 1               | 0.08%              |
| LIMB MASS   | 1               | 0.08%              |
| LIP BLISTER                                       | 1               | 0.08%              |
| LIP DISCOLOURATION                                | 1               | 0.08%              |
| LIP DISORDER                                      | 1               | 0.08%              |
| LIP DRY   | 1               | 0.08%              |
| LIP INJURY  | 1               | 0.08%              |
| LIP OEDEMA  | 1               | 0.08%              |
| LIP PRURITUS                                      | 2               | 0.16%              |
| LIP SWELLING                                      | 32              | 2.49%              |
| LIPASE INCREASED                                  | 2               | 0.16%              |
| LIPASE NORMAL                                     | 3               | 0.23%              |
| LIPIDS  | 7               | 0.54%              |
| LIPOPROTEIN (A)                                   | 1               | 0.08%              |
| LIVEDO RETICULARIS                                | 6               | 0.47%              |
| LIVER FUNCTION TEST                               | 5               | 0.39%              |
| LIVER FUNCTION TEST ABNORMAL                      | 2               | 0.16%              |
| LIVER FUNCTION TEST INCREASED                     | 5               | 0.39%              |
| LIVER FUNCTION TEST NORMAL                        | 4               | 0.31%              |
| LIVER INJURY                                      | 5               | 0.39%              |
| LOCALISED INFECTION                               | 1               | 0.08%              |
| LOCALISED OEDEMA                                  | 1               | 0.08%              |
| LOSS OF CONSCIOUSNESS                             | 28              | 2.18%              |
| LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES | 15              | 1.17%              |
| LOSS OF PROPRIOCEPTION                            | 2               | 0.16%              |
| LOW DENSITY LIPOPROTEIN INCREASED                 | 1               | 0.08%              |
| LOW DENSITY LIPOPROTEIN NORMAL                    | 1               | 0.08%              |
| LOWER LIMB FRACTURE                               | 1               | 0.08%              |
| LOWER RESPIRATORY TRACT CONGESTION                | 1               | 0.08%              |
| LUMBAR PUNCTURE                                   | 14              | 1.09%              |
| LUMBAR PUNCTURE ABNORMAL                          | 3               | 0.23%              |
| LUMBAR PUNCTURE NORMAL                            | 3               | 0.23%              |
| LUMBAR RADICULOPATHY                              | 2               | 0.16%              |
| LUNG CONSOLIDATION                                | 4               | 0.31%              |

| Symptoms                                      | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| LUNG INFILTRATION                             | 10              | 0.78%              |
| LUNG OPACITY                                  | 9               | 0.70%              |
| LYME DISEASE                                  | 1               | 0.08%              |
| LYMPH NODE PAIN                               | 3               | 0.23%              |
| LYMPHADENITIS                                 | 1               | 0.08%              |
| LYMPHADENOPATHY                               | 18              | 1.40%              |
| LYMPHOCYTE COUNT                              | 1               | 0.08%              |
| LYMPHOCYTE COUNT DECREASED                    | 3               | 0.23%              |
| LYMPHOCYTE COUNT INCREASED                    | 2               | 0.16%              |
| LYMPHOCYTE COUNT NORMAL                       | 4               | 0.31%              |
| LYMPHOCYTE PERCENTAGE                         | 4               | 0.31%              |
| LYMPHOCYTE PERCENTAGE DECREASED               | 4               | 0.31%              |
| LYMPHOEDEMA                                   | 1               | 0.08%              |
| MAGNETIC RESONANCE CHOLANGIOPANCREATOGRAPHY   | 2               | 0.16%              |
| MAGNETIC RESONANCE IMAGING                    | 66              | 5.14%              |
| MAGNETIC RESONANCE IMAGING ABDOMINAL ABNORMAL | 1               | 0.08%              |
| MAGNETIC RESONANCE IMAGING ABNORMAL           | 12              | 0.93%              |
| MAGNETIC RESONANCE IMAGING BRAIN              | 35              | 2.72%              |
| MAGNETIC RESONANCE IMAGING BRAIN ABNORMAL     | 27              | 2.10%              |
| MAGNETIC RESONANCE IMAGING BRAIN NORMAL       | 16              | 1.25%              |
| MAGNETIC RESONANCE IMAGING HEART              | 3               | 0.23%              |
| MAGNETIC RESONANCE IMAGING JOINT              | 1               | 0.08%              |
| MAGNETIC RESONANCE IMAGING NECK               | 8               | 0.62%              |
| MAGNETIC RESONANCE IMAGING NORMAL             | 16              | 1.25%              |
| MAGNETIC RESONANCE IMAGING SPINAL             | 8               | 0.62%              |
| MAGNETIC RESONANCE IMAGING SPINAL ABNORMAL    | 7               | 0.54%              |
| MAGNETIC RESONANCE IMAGING SPINAL NORMAL      | 1               | 0.08%              |
| MAGNETIC RESONANCE IMAGING THORACIC ABNORMAL  | 2               | 0.16%              |
| MALAISE                                       | 39              | 3.04%              |
| MALNUTRITION                                  | 1               | 0.08%              |
| MANIA   | 1               | 0.08%              |
| MASTICATION DISORDER                          | 2               | 0.16%              |
| MASTOID DISORDER                              | 2               | 0.16%              |
| MATERNAL EXPOSURE DURING BREAST FEEDING       | 1               | 0.08%              |
| MAY-THURNER SYNDROME                          | 2               | 0.16%              |
| MEAN ARTERIAL PRESSURE DECREASED              | 1               | 0.08%              |
| MEAN CELL HAEMOGLOBIN CONCENTRATION DECREASED | 2               | 0.16%              |
| MEAN CELL HAEMOGLOBIN CONCENTRATION NORMAL    | 4               | 0.31%              |
| MEAN CELL HAEMOGLOBIN INCREASED               | 1               | 0.08%              |
| MEAN CELL HAEMOGLOBIN NORMAL                  | 8               | 0.62%              |
| MEAN CELL VOLUME INCREASED                    | 1               | 0.08%              |
| MEAN CELL VOLUME NORMAL                       | 9               | 0.70%              |
| MEAN PLATELET VOLUME                          | 1               | 0.08%              |
| MEAN PLATELET VOLUME DECREASED                | 1               | 0.08%              |
| MEAN PLATELET VOLUME INCREASED                | 1               | 0.08%              |
| MEAN PLATELET VOLUME NORMAL                   | 4               | 0.31%              |
| MECHANICAL VENTILATION                        | 24              | 1.87%              |
| MEDIASTINITIS                                 | 1               | 0.08%              |
| MEDICAL INDUCTION OF COMA                     | 1               | 0.08%              |
| MELAENA                                       | 2               | 0.16%              |
| MEMORY IMPAIRMENT                             | 12              | 0.93%              |
| MENIERE'S DISEASE                             | 1               | 0.08%              |
| MENINGISM                                     | 1               | 0.08%              |
| MENTAL DISORDER                               | 2               | 0.16%              |
| MENTAL IMPAIRMENT                             | 4               | 0.31%              |
| MENTAL STATUS CHANGES                         | 8               | 0.62%              |
| METABOLIC ENCEPHALOPATHY                      | 1               | 0.08%              |
| METABOLIC FUNCTION TEST                       | 60              | 4.67%              |
| METABOLIC FUNCTION TEST ABNORMAL              | 1               | 0.08%              |
| METABOLIC FUNCTION TEST NORMAL                | 26              | 2.02%              |
| METAMORPHOPSIA                                | 1               | 0.08%              |
| MIDDLE EAR EFFUSION                           | 2               | 0.16%              |
| MIGRAINE                                      | 7               | 0.54%              |

| Symptoms  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| MIOSIS  | 1               | 0.08%              |
| MITRAL VALVE INCOMPETENCE                                 | 1               | 0.08%              |
| MOBILITY DECREASED  | 51              | 3.97%              |
| MONOCYTE COUNT DECREASED                                  | 3               | 0.23%              |
| MONOCYTE COUNT INCREASED                                  | 1               | 0.08%              |
| MONOCYTE COUNT NORMAL                                     | 6               | 0.47%              |
| MONOCYTE PERCENTAGE                                       | 4               | 0.31%              |
| MONOCYTE PERCENTAGE DECREASED                             | 3               | 0.23%              |
| MONOCYTE PERCENTAGE INCREASED                             | 1               | 0.08%              |
| MONOCYTOSIS   | 1               | 0.08%              |
| MONONUCLEOSIS HETEROPHILE TEST NEGATIVE                   | 1               | 0.08%              |
| MONOPARESIS   | 1               | 0.08%              |
| MONOPLÉGIA  | 1               | 0.08%              |
| MOTOR DYSFUNCTION   | 5               | 0.39%              |
| MOUTH HAEMORRHAGE   | 2               | 0.16%              |
| MOUTH INJURY  | 1               | 0.08%              |
| MOUTH SWELLING  | 5               | 0.39%              |
| MOVEMENT DISORDER   | 3               | 0.23%              |
| MUCOSAL INFLAMMATION                                      | 1               | 0.08%              |
| MULTI-ORGAN DISORDER                                      | 1               | 0.08%              |
| MULTIPLE ORGAN DYSFUNCTION SYNDROME                       | 2               | 0.16%              |
| MUSCLE ATROPHY  | 3               | 0.23%              |
| MUSCLE CONTRACTIONS INVOLUNTARY                           | 1               | 0.08%              |
| MUSCLE CONTRACTURE  | 2               | 0.16%              |
| MUSCLE FATIGUE  | 3               | 0.23%              |
| MUSCLE RIGIDITY   | 2               | 0.16%              |
| MUSCLE SPASMS   | 13              | 1.01%              |
| MUSCLE SWELLING   | 1               | 0.08%              |
| MUSCLE TIGHTNESS  | 5               | 0.39%              |
| MUSCLE TWITCHING  | 4               | 0.31%              |
| MUSCULAR WEAKNESS   | 53              | 4.12%              |
| MUSCULOSKELETAL CHEST PAIN                                | 3               | 0.23%              |
| MUSCULOSKELETAL DISCOMFORT                                | 3               | 0.23%              |
| MUSCULOSKELETAL DISORDER                                  | 4               | 0.31%              |
| MUSCULOSKELETAL PAIN                                      | 1               | 0.08%              |
| MUSCULOSKELETAL STIFFNESS                                 | 8               | 0.62%              |
| MYALGIA   | 50              | 3.89%              |
| MYASTHENIA GRAVIS   | 1               | 0.08%              |
| MYCOPLASMA TEST NEGATIVE                                  | 1               | 0.08%              |
| MYELITIS TRANSVERSE                                       | 4               | 0.31%              |
| MYELOPATHY  | 1               | 0.08%              |
| MYOCARDIAL INFARCTION                                     | 17              | 1.32%              |
| MYOCARDIAL ISCHAEMIA                                      | 1               | 0.08%              |
| MYOCARDIAL NECROSIS MARKER                                | 3               | 0.23%              |
| MYOCARDIAL NECROSIS MARKER INCREASED                      | 2               | 0.16%              |
| MYOCARDIAL NECROSIS MARKER NORMAL                         | 4               | 0.31%              |
| MYOCARDIAL STRAIN   | 1               | 0.08%              |
| MYOCARDITIS   | 10              | 0.78%              |
| MYOCLONUS   | 1               | 0.08%              |
| MYOGLOBIN BLOOD INCREASED                                 | 1               | 0.08%              |
| N-TERMINAL PROHORMONE BRAIN NATRIURETIC PEPTIDE           | 1               | 0.08%              |
| N-TERMINAL PROHORMONE BRAIN NATRIURETIC PEPTIDE INCREASED | 3               | 0.23%              |
| N-TERMINAL PROHORMONE BRAIN NATRIURETIC PEPTIDE NORMAL    | 1               | 0.08%              |
| NAIL BED DISORDER   | 1               | 0.08%              |
| NAIL DISCOLOURATION                                       | 1               | 0.08%              |
| NASAL CONGESTION  | 2               | 0.16%              |
| NASAL ODOUR   | 1               | 0.08%              |
| NAUSEA  | 127             | 9.88%              |
| NEAR DEATH EXPERIENCE                                     | 2               | 0.16%              |
| NECK INJURY   | 1               | 0.08%              |
| NECK MASS   | 1               | 0.08%              |
| NECK PAIN   | 19              | 1.48%              |
| NEISSERIA TEST  | 1               | 0.08%              |

| Symptoms   | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| NERVE COMPRESSION                                  | 1               | 0.08%              |
| NERVE CONDUCTION STUDIES ABNORMAL                  | 1               | 0.08%              |
| NERVE INJURY                                       | 1               | 0.08%              |
| NERVOUS SYSTEM DISORDER                            | 1               | 0.08%              |
| NERVOUSNESS  | 8               | 0.62%              |
| NEURALGIA  | 7               | 0.54%              |
| NEURALGIC AMYOTROPHY                               | 4               | 0.31%              |
| NEUROLOGIC NEGLECT SYNDROME                        | 1               | 0.08%              |
| NEUROLOGICAL EXAMINATION                           | 6               | 0.47%              |
| NEUROLOGICAL EXAMINATION ABNORMAL                  | 2               | 0.16%              |
| NEUROLOGICAL EXAMINATION NORMAL                    | 2               | 0.16%              |
| NEUROLOGICAL SYMPTOM                               | 12              | 0.93%              |
| NEUROPATHY PERIPHERAL                              | 6               | 0.47%              |
| NEUTROPHIL COUNT                                   | 3               | 0.23%              |
| NEUTROPHIL COUNT DECREASED                         | 3               | 0.23%              |
| NEUTROPHIL COUNT INCREASED                         | 5               | 0.39%              |
| NEUTROPHIL COUNT NORMAL                            | 2               | 0.16%              |
| NEUTROPHIL PERCENTAGE                              | 3               | 0.23%              |
| NEUTROPHIL PERCENTAGE DECREASED                    | 3               | 0.23%              |
| NEUTROPHIL PERCENTAGE INCREASED                    | 5               | 0.39%              |
| NIGHT SWEATS                                       | 2               | 0.16%              |
| NIH STROKE SCALE ABNORMAL                          | 1               | 0.08%              |
| NIH STROKE SCALE SCORE INCREASED                   | 2               | 0.16%              |
| NITRITE URINE                                      | 1               | 0.08%              |
| NITRITE URINE ABSENT                               | 1               | 0.08%              |
| NODULE   | 1               | 0.08%              |
| NON-HIGH-DENSITY LIPOPROTEIN CHOLESTEROL INCREASED | 1               | 0.08%              |
| NONINFECTIVE ENCEPHALITIS                          | 1               | 0.08%              |
| NORMETANEPHRINE URINE INCREASED                    | 1               | 0.08%              |
| NORMOCYTIC ANAEMIA                                 | 1               | 0.08%              |
| NYSTAGMUS  | 2               | 0.16%              |
| OBSTRUCTIVE AIRWAYS DISORDER                       | 8               | 0.62%              |
| OCCULT BLOOD POSITIVE                              | 1               | 0.08%              |
| OCCUPATIONAL EXPOSURE TO SARS-COV-2                | 1               | 0.08%              |
| OCULAR DISCOMFORT                                  | 1               | 0.08%              |
| OCULAR HYPERAEMIA                                  | 2               | 0.16%              |
| OEDEMA   | 3               | 0.23%              |
| OEDEMA PERIPHERAL                                  | 5               | 0.39%              |
| OESOPHAGEAL PAIN                                   | 1               | 0.08%              |
| OESOPHAGEAL SPASM                                  | 1               | 0.08%              |
| OESOPHAGOGASTRODUODENOSCOPY                        | 2               | 0.16%              |
| OESOPHAGOGASTRODUODENOSCOPY ABNORMAL               | 1               | 0.08%              |
| OMENTECTOMY  | 1               | 0.08%              |
| OOCYTE HARVEST                                     | 1               | 0.08%              |
| OPHTHALMIC ARTERY THROMBOSIS                       | 1               | 0.08%              |
| OPHTHALMIC HERPES SIMPLEX                          | 1               | 0.08%              |
| OPHTHALMIC SCAN                                    | 1               | 0.08%              |
| OPHTHALMOLOGICAL EXAMINATION                       | 5               | 0.39%              |
| OPHTHALMOLOGICAL EXAMINATION ABNORMAL              | 4               | 0.31%              |
| OPISTHOTONUS                                       | 1               | 0.08%              |
| OPTIC ISCHAEMIC NEUROPATHY                         | 1               | 0.08%              |
| OPTIC NEURITIS                                     | 3               | 0.23%              |
| OPTICAL COHERENCE TOMOGRAPHY                       | 2               | 0.16%              |
| ORAL BLOOD BLISTER                                 | 2               | 0.16%              |
| ORAL DISCOMFORT                                    | 1               | 0.08%              |
| ORAL MUCOSAL BLISTERING                            | 2               | 0.16%              |
| ORAL MUCOSAL ERUPTION                              | 1               | 0.08%              |
| ORAL PAIN  | 2               | 0.16%              |
| ORAL PRURITUS                                      | 5               | 0.39%              |
| OROPHARYNGEAL DISCOMFORT                           | 7               | 0.54%              |
| OROPHARYNGEAL PAIN                                 | 13              | 1.01%              |
| ORTHOSTATIC HYPERTENSION                           | 1               | 0.08%              |
| ORTHOSTATIC HYPOTENSION                            | 2               | 0.16%              |

| Symptoms                             | Events Reported | Percent (of 1,285) |
|--------------------------------------|-----------------|--------------------|
| OSTEOARTHRITIS                       | 2               | 0.16%              |
| OTITIS MEDIA                         | 1               | 0.08%              |
| OVERGROWTH FUNGAL                    | 1               | 0.08%              |
| OXYGEN SATURATION                    | 3               | 0.23%              |
| OXYGEN SATURATION DECREASED          | 29              | 2.26%              |
| OXYGEN SATURATION NORMAL             | 1               | 0.08%              |
| OXYGEN THERAPY                       | 1               | 0.08%              |
| PACKED RED BLOOD CELL TRANSFUSION    | 3               | 0.23%              |
| PAIN                                 | 119             | 9.26%              |
| PAIN IN EXTREMITY                    | 107             | 8.33%              |
| PAIN IN JAW                          | 4               | 0.31%              |
| PAIN MANAGEMENT                      | 1               | 0.08%              |
| PAIN OF SKIN                         | 1               | 0.08%              |
| PAINFUL RESPIRATION                  | 3               | 0.23%              |
| PALLOR                               | 11              | 0.86%              |
| PALPITATIONS                         | 39              | 3.04%              |
| PANCREATIC ENLARGEMENT               | 1               | 0.08%              |
| PANCREATITIS                         | 3               | 0.23%              |
| PANCREATITIS ACUTE                   | 2               | 0.16%              |
| PANCYTOPENIA                         | 3               | 0.23%              |
| PANIC ATTACK                         | 3               | 0.23%              |
| PANIC REACTION                       | 2               | 0.16%              |
| PARAESTHESIA                         | 78              | 6.07%              |
| PARAESTHESIA ORAL                    | 36              | 2.80%              |
| PARALYSIS                            | 6               | 0.47%              |
| PARAPLEGIA                           | 1               | 0.08%              |
| PAROSMIA                             | 1               | 0.08%              |
| PAROXYSMAL NOCTURNAL HAEMOGLOBINURIA | 1               | 0.08%              |
| PAROXYSMAL SYMPATHETIC HYPERACTIVITY | 1               | 0.08%              |
| PARVOVIRUS B19 TEST                  | 1               | 0.08%              |
| PARVOVIRUS B19 TEST NEGATIVE         | 2               | 0.16%              |
| PATHOLOGY TEST                       | 2               | 0.16%              |
| PATIENT ELOPEMENT                    | 1               | 0.08%              |
| PATIENT UNCOOPERATIVE                | 1               | 0.08%              |
| PCO2 DECREASED                       | 2               | 0.16%              |
| PCO2 INCREASED                       | 4               | 0.31%              |
| PELVIC ABSCESS                       | 1               | 0.08%              |
| PELVIC HAEMATOMA                     | 1               | 0.08%              |
| PELVIC HAEMORRHAGE                   | 1               | 0.08%              |
| PELVIC PAIN                          | 1               | 0.08%              |
| PELVIC VENOUS THROMBOSIS             | 1               | 0.08%              |
| PENILE PAIN                          | 1               | 0.08%              |
| PERCUTANEOUS CORONARY INTERVENTION   | 3               | 0.23%              |
| PERFUSION BRAIN SCAN NORMAL          | 2               | 0.16%              |
| PERIARTHRITIS                        | 4               | 0.31%              |
| PERICARDIAL DRAINAGE                 | 2               | 0.16%              |
| PERICARDIAL DRAINAGE TEST            | 1               | 0.08%              |
| PERICARDIAL EFFUSION                 | 9               | 0.70%              |
| PERICARDIAL EXCISION                 | 1               | 0.08%              |
| PERICARDIAL FIBROSIS                 | 1               | 0.08%              |
| PERICARDITIS                         | 13              | 1.01%              |
| PERIORBITAL SWELLING                 | 1               | 0.08%              |
| PERIPHERAL COLDNESS                  | 5               | 0.39%              |
| PERIPHERAL EMBOLISM                  | 1               | 0.08%              |
| PERIPHERAL SENSORIMOTOR NEUROPATHY   | 1               | 0.08%              |
| PERIPHERAL SWELLING                  | 28              | 2.18%              |
| PERIPHERAL VASCULAR DISORDER         | 1               | 0.08%              |
| PERIPHERAL VEIN OCCLUSION            | 1               | 0.08%              |
| PERITONITIS                          | 2               | 0.16%              |
| PERONEAL NERVE PALSY                 | 3               | 0.23%              |
| PERSONALITY CHANGE                   | 1               | 0.08%              |
| PETECHIAE                            | 21              | 1.63%              |
| PETIT MAL EPILEPSY                   | 1               | 0.08%              |

| Symptoms                                   | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| PH BODY FLUID                              | 1               | 0.08%              |
| PHAECHROMOCYTOMA                           | 1               | 0.08%              |
| PHARYNGEAL ERYTHEMA                        | 1               | 0.08%              |
| PHARYNGEAL HYPOAESTHESIA                   | 2               | 0.16%              |
| PHARYNGEAL OEDEMA                          | 2               | 0.16%              |
| PHARYNGEAL PARAESTHESIA                    | 9               | 0.70%              |
| PHARYNGEAL SWELLING                        | 50              | 3.89%              |
| PHARYNGITIS                                | 1               | 0.08%              |
| PHLEBITIS                                  | 2               | 0.16%              |
| PHOTOPHOBIA                                | 5               | 0.39%              |
| PHOTOPSIA                                  | 1               | 0.08%              |
| PHOTOSENSITIVITY REACTION                  | 1               | 0.08%              |
| PIRIFORMIS SYNDROME                        | 1               | 0.08%              |
| PLASMAPHERESIS                             | 3               | 0.23%              |
| PLATELET AGGREGATION DECREASED             | 1               | 0.08%              |
| PLATELET COUNT                             | 1               | 0.08%              |
| PLATELET COUNT ABNORMAL                    | 1               | 0.08%              |
| PLATELET COUNT DECREASED                   | 48              | 3.74%              |
| PLATELET COUNT INCREASED                   | 5               | 0.39%              |
| PLATELET COUNT NORMAL                      | 12              | 0.93%              |
| PLATELET TRANSFUSION                       | 11              | 0.86%              |
| PLEURAL EFFUSION                           | 12              | 0.93%              |
| PLEURISY                                   | 1               | 0.08%              |
| PLEURITIC PAIN                             | 3               | 0.23%              |
| PNEUMOCOCCAL SEPSIS                        | 1               | 0.08%              |
| PNEUMONIA                                  | 24              | 1.87%              |
| PNEUMONIA ASPIRATION                       | 3               | 0.23%              |
| PNEUMONIA BACTERIAL                        | 2               | 0.16%              |
| PNEUMONITIS                                | 4               | 0.31%              |
| PNEUMOTHORAX                               | 1               | 0.08%              |
| PO2 ABNORMAL                               | 1               | 0.08%              |
| PO2 DECREASED                              | 3               | 0.23%              |
| PO2 INCREASED                              | 2               | 0.16%              |
| POLAKIURIA                                 | 1               | 0.08%              |
| POLYMERASE CHAIN REACTION                  | 3               | 0.23%              |
| POLYNEUROPATHY                             | 1               | 0.08%              |
| POOR PERIPHERAL CIRCULATION                | 2               | 0.16%              |
| POOR QUALITY SLEEP                         | 3               | 0.23%              |
| POSTURAL ORTHOSTATIC TACHYCARDIA SYNDROME  | 2               | 0.16%              |
| POSTURE ABNORMAL                           | 3               | 0.23%              |
| POSTURING                                  | 1               | 0.08%              |
| PRE-ECLAMPSIA                              | 1               | 0.08%              |
| PREGNANCY                                  | 1               | 0.08%              |
| PREGNANCY TEST                             | 3               | 0.23%              |
| PREGNANCY TEST POSITIVE                    | 1               | 0.08%              |
| PREMATURE DELIVERY                         | 2               | 0.16%              |
| PREMATURE SEPARATION OF PLACENTA           | 1               | 0.08%              |
| PRESYNCOPE                                 | 9               | 0.70%              |
| PROCALCITONIN                              | 4               | 0.31%              |
| PROCALCITONIN INCREASED                    | 4               | 0.31%              |
| PROCALCITONIN NORMAL                       | 2               | 0.16%              |
| PRODUCT ADMINISTERED AT INAPPROPRIATE SITE | 10              | 0.78%              |
| PRODUCTIVE COUGH                           | 1               | 0.08%              |
| PROTEIN C                                  | 4               | 0.31%              |
| PROTEIN S                                  | 2               | 0.16%              |
| PROTEIN S NORMAL                           | 3               | 0.23%              |
| PROTEIN TOTAL                              | 4               | 0.31%              |
| PROTEIN TOTAL DECREASED                    | 1               | 0.08%              |
| PROTEIN TOTAL NORMAL                       | 7               | 0.54%              |
| PROTEIN URINE PRESENT                      | 3               | 0.23%              |
| PROTEINURIA                                | 1               | 0.08%              |
| PROTHROMBIN LEVEL                          | 1               | 0.08%              |
| PROTHROMBIN LEVEL INCREASED                | 1               | 0.08%              |

| Symptoms                                     | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| PROTHROMBIN LEVEL NORMAL                     | 2               | 0.16%              |
| PROTHROMBIN TIME                             | 5               | 0.39%              |
| PROTHROMBIN TIME NORMAL                      | 4               | 0.31%              |
| PROTHROMBIN TIME PROLONGED                   | 3               | 0.23%              |
| PROTHROMBIN TIME SHORTENED                   | 1               | 0.08%              |
| PRURITUS                                     | 58              | 4.51%              |
| PSEUDOMONAL BACTERAEemia                     | 1               | 0.08%              |
| PSORIATIC ARTHROPATHY                        | 1               | 0.08%              |
| PSYCHOTHERAPY                                | 1               | 0.08%              |
| PSYCHOTIC DISORDER                           | 2               | 0.16%              |
| PULMONARY CONGESTION                         | 2               | 0.16%              |
| PULMONARY EMBOLISM                           | 44              | 3.42%              |
| PULMONARY FUNCTION TEST                      | 1               | 0.08%              |
| PULMONARY FUNCTION TEST ABNORMAL             | 1               | 0.08%              |
| PULMONARY HAEMORRHAGE                        | 1               | 0.08%              |
| PULMONARY HILAR ENLARGEMENT                  | 1               | 0.08%              |
| PULMONARY HYPERTENSION                       | 1               | 0.08%              |
| PULMONARY INFARCTION                         | 6               | 0.47%              |
| PULMONARY MASS                               | 1               | 0.08%              |
| PULMONARY OEDEMA                             | 9               | 0.70%              |
| PULSE ABNORMAL                               | 5               | 0.39%              |
| PULSE ABSENT                                 | 5               | 0.39%              |
| PULSELESS ELECTRICAL ACTIVITY                | 3               | 0.23%              |
| PUPILLARY DISORDER                           | 1               | 0.08%              |
| PUPILLARY LIGHT REFLEX TESTS ABNORMAL        | 1               | 0.08%              |
| PURPURA                                      | 3               | 0.23%              |
| PYREXIA                                      | 142             | 11.05%             |
| QUADRANTANOPIA                               | 1               | 0.08%              |
| QUARANTINE                                   | 1               | 0.08%              |
| RADICULITIS BRACHIAL                         | 3               | 0.23%              |
| RADICULOPATHY                                | 2               | 0.16%              |
| RALES  | 1               | 0.08%              |
| RASH   | 60              | 4.67%              |
| RASH ERYTHEMATOUS                            | 11              | 0.86%              |
| RASH MACULAR                                 | 6               | 0.47%              |
| RASH MORBILLIFORM                            | 1               | 0.08%              |
| RASH PAPULAR                                 | 3               | 0.23%              |
| RASH PRURITIC                                | 7               | 0.54%              |
| RAYNAUD'S PHENOMENON                         | 1               | 0.08%              |
| REACTION TO PRESERVATIVES                    | 1               | 0.08%              |
| REBOUND EFFECT                               | 1               | 0.08%              |
| RECTAL EXAMINATION ABNORMAL                  | 1               | 0.08%              |
| RECTAL HAEMORRHAGE                           | 1               | 0.08%              |
| RED BLOOD CELL COUNT DECREASED               | 7               | 0.54%              |
| RED BLOOD CELL COUNT INCREASED               | 2               | 0.16%              |
| RED BLOOD CELL COUNT NORMAL                  | 4               | 0.31%              |
| RED BLOOD CELL NUCLEATED MORPHOLOGY          | 4               | 0.31%              |
| RED BLOOD CELL SEDIMENTATION RATE            | 2               | 0.16%              |
| RED BLOOD CELL SEDIMENTATION RATE INCREASED  | 9               | 0.70%              |
| RED BLOOD CELL SEDIMENTATION RATE NORMAL     | 8               | 0.62%              |
| RED CELL DISTRIBUTION WIDTH INCREASED        | 4               | 0.31%              |
| RED CELL DISTRIBUTION WIDTH NORMAL           | 5               | 0.39%              |
| REDUCTION OF INCREASED INTRACRANIAL PRESSURE | 1               | 0.08%              |
| REFUSAL OF TREATMENT BY PATIENT              | 3               | 0.23%              |
| RENAL CYST                                   | 1               | 0.08%              |
| RENAL CYST HAEMORRHAGE                       | 1               | 0.08%              |
| RENAL DISORDER                               | 1               | 0.08%              |
| RENAL EMBOLISM                               | 1               | 0.08%              |
| RENAL FAILURE                                | 4               | 0.31%              |
| RENAL FUNCTION TEST                          | 1               | 0.08%              |
| RENAL FUNCTION TEST ABNORMAL                 | 2               | 0.16%              |
| RENAL FUNCTION TEST NORMAL                   | 1               | 0.08%              |
| RENAL IMPAIRMENT                             | 3               | 0.23%              |

| Symptoms  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| RENAL INJURY                                      | 1               | 0.08%              |
| RENAL MASS  | 1               | 0.08%              |
| REPETITIVE SPEECH                                 | 1               | 0.08%              |
| RESPIRATION ABNORMAL                              | 2               | 0.16%              |
| RESPIRATORY ARREST                                | 8               | 0.62%              |
| RESPIRATORY DEPRESSION                            | 1               | 0.08%              |
| RESPIRATORY DISORDER                              | 1               | 0.08%              |
| RESPIRATORY DISTRESS                              | 11              | 0.86%              |
| RESPIRATORY FAILURE                               | 15              | 1.17%              |
| RESPIRATORY RATE INCREASED                        | 7               | 0.54%              |
| RESPIRATORY SYNCYTIAL VIRUS TEST                  | 1               | 0.08%              |
| RESPIRATORY TRACT CONGESTION                      | 4               | 0.31%              |
| RESPIRATORY VIRAL PANEL                           | 4               | 0.31%              |
| RESTLESSNESS                                      | 1               | 0.08%              |
| RESUSCITATION                                     | 12              | 0.93%              |
| RETCHING  | 5               | 0.39%              |
| RETICULOCYTE COUNT INCREASED                      | 1               | 0.08%              |
| RETINAL ARTERY OCCLUSION                          | 3               | 0.23%              |
| RETINAL ARTERY THROMBOSIS                         | 2               | 0.16%              |
| RETINAL HAEMORRHAGE                               | 1               | 0.08%              |
| RETINAL INFARCTION                                | 1               | 0.08%              |
| RETINAL ISCHAEMIA                                 | 1               | 0.08%              |
| RETINAL VASCULAR OCCLUSION                        | 1               | 0.08%              |
| RETINAL VEIN OCCLUSION                            | 3               | 0.23%              |
| RETINOGRAM ABNORMAL                               | 1               | 0.08%              |
| REVERSIBLE CEREBRAL VASOCONSTRICTION SYNDROME     | 1               | 0.08%              |
| RHABDOMYOLYSIS                                    | 2               | 0.16%              |
| RHEUMATOID ARTHRITIS                              | 1               | 0.08%              |
| RHEUMATOID FACTOR                                 | 2               | 0.16%              |
| RHEUMATOID FACTOR NEGATIVE                        | 2               | 0.16%              |
| RHINORRHOEA                                       | 4               | 0.31%              |
| RIGHT ATRIAL DILATATION                           | 1               | 0.08%              |
| RUSSELL'S VIPER VENOM TIME NORMAL                 | 1               | 0.08%              |
| SALIVA ALTERED                                    | 1               | 0.08%              |
| SARCOIDOSIS                                       | 1               | 0.08%              |
| SARS-COV-2 ANTIBODY TEST                          | 3               | 0.23%              |
| SARS-COV-2 ANTIBODY TEST NEGATIVE                 | 3               | 0.23%              |
| SARS-COV-2 ANTIBODY TEST POSITIVE                 | 3               | 0.23%              |
| SARS-COV-2 TEST                                   | 18              | 1.40%              |
| SARS-COV-2 TEST NEGATIVE                          | 98              | 7.63%              |
| SARS-COV-2 TEST POSITIVE                          | 32              | 2.49%              |
| SCAN  | 2               | 0.16%              |
| SCAN BRAIN  | 1               | 0.08%              |
| SCAN MYOCARDIAL PERFUSION                         | 1               | 0.08%              |
| SCAN MYOCARDIAL PERFUSION NORMAL                  | 1               | 0.08%              |
| SCAN WITH CONTRAST                                | 18              | 1.40%              |
| SCAN WITH CONTRAST ABNORMAL                       | 10              | 0.78%              |
| SCAN WITH CONTRAST NORMAL                         | 5               | 0.39%              |
| SCAR  | 1               | 0.08%              |
| SCIATICA  | 1               | 0.08%              |
| SEDATIVE THERAPY                                  | 2               | 0.16%              |
| SEIZURE   | 26              | 2.02%              |
| SEIZURE LIKE PHENOMENA                            | 3               | 0.23%              |
| SENSATION OF FOREIGN BODY                         | 6               | 0.47%              |
| SENSITIVE SKIN                                    | 2               | 0.16%              |
| SENSORY DISTURBANCE                               | 8               | 0.62%              |
| SENSORY LOSS                                      | 11              | 0.86%              |
| SEPSIS  | 15              | 1.17%              |
| SERUM FERRITIN INCREASED                          | 2               | 0.16%              |
| SHIFT TO THE LEFT                                 | 2               | 0.16%              |
| SHOCK   | 2               | 0.16%              |
| SHOULDER INJURY RELATED TO VACCINE ADMINISTRATION | 4               | 0.31%              |
| SICKLE CELL ANAEMIA WITH CRISIS                   | 1               | 0.08%              |

| Symptoms                             | Events Reported | Percent (of 1,285) |
|--------------------------------------|-----------------|--------------------|
| SINUS ARRHYTHMIA                     | 1               | 0.08%              |
| SINUS BRADYCARDIA                    | 1               | 0.08%              |
| SINUS CONGESTION                     | 1               | 0.08%              |
| SINUS OPERATION                      | 1               | 0.08%              |
| SINUS TACHYCARDIA                    | 2               | 0.16%              |
| SKIN BURNING SENSATION               | 1               | 0.08%              |
| SKIN DISCOLOURATION                  | 9               | 0.70%              |
| SKIN DISCOMFORT                      | 1               | 0.08%              |
| SKIN LESION                          | 1               | 0.08%              |
| SKIN TIGHTNESS                       | 1               | 0.08%              |
| SKIN WARM                            | 8               | 0.62%              |
| SKIN WOUND                           | 1               | 0.08%              |
| SLEEP DISORDER                       | 28              | 2.18%              |
| SLOW SPEECH                          | 1               | 0.08%              |
| SMALL FIBRE NEUROPATHY               | 1               | 0.08%              |
| SMALL INTESTINAL OBSTRUCTION         | 1               | 0.08%              |
| SMALL INTESTINAL RESECTION           | 1               | 0.08%              |
| SOMNOLENCE                           | 10              | 0.78%              |
| SPECIALIST CONSULTATION              | 1               | 0.08%              |
| SPEECH DISORDER                      | 30              | 2.33%              |
| SPINAL COMPRESSION FRACTURE          | 1               | 0.08%              |
| SPINAL CORD COMPRESSION              | 1               | 0.08%              |
| SPINAL CORD LIPOMA                   | 1               | 0.08%              |
| SPINAL DEFORMITY                     | 1               | 0.08%              |
| SPINAL NERVE STIMULATOR IMPLANTATION | 1               | 0.08%              |
| SPINAL OPERATION                     | 1               | 0.08%              |
| SPINAL OSTEOARTHRITIS                | 2               | 0.16%              |
| SPINAL PAIN                          | 2               | 0.16%              |
| SPINAL RETROLISTHESIS                | 1               | 0.08%              |
| SPINAL STENOSIS                      | 1               | 0.08%              |
| SPINAL X-RAY                         | 2               | 0.16%              |
| SPINAL X-RAY ABNORMAL                | 1               | 0.08%              |
| SPINAL X-RAY NORMAL                  | 1               | 0.08%              |
| SPLEEN SCAN NORMAL                   | 1               | 0.08%              |
| SPORTS INJURY                        | 1               | 0.08%              |
| SPUTUM CULTURE                       | 1               | 0.08%              |
| SPUTUM CULTURE POSITIVE              | 1               | 0.08%              |
| STAPHYLOCOCCAL BACTERAEMIA           | 1               | 0.08%              |
| STAPHYLOCOCCAL SEPSIS                | 2               | 0.16%              |
| STAPHYLOCOCCUS TEST NEGATIVE         | 1               | 0.08%              |
| STARING                              | 2               | 0.16%              |
| STATUS ASTHMATICUS                   | 1               | 0.08%              |
| STENT PLACEMENT                      | 7               | 0.54%              |
| STILLBIRTH                           | 1               | 0.08%              |
| STOMATITIS                           | 1               | 0.08%              |
| STOOL ANALYSIS NORMAL                | 1               | 0.08%              |
| STRABISMUS                           | 1               | 0.08%              |
| STREPTOCOCCUS TEST NEGATIVE          | 2               | 0.16%              |
| STREPTOCOCCUS TEST POSITIVE          | 1               | 0.08%              |
| STRESS                               | 2               | 0.16%              |
| STRESS CARDIOMYOPATHY                | 4               | 0.31%              |
| STRESS ECHOCARDIOGRAM                | 1               | 0.08%              |
| STRIDOR                              | 8               | 0.62%              |
| SUBARACHNOID HAEMORRHAGE             | 5               | 0.39%              |
| SUBCUTANEOUS HAEMATOMA               | 1               | 0.08%              |
| SUBDURAL HAEMATOMA                   | 3               | 0.23%              |
| SUBSTANCE USE                        | 1               | 0.08%              |
| SUDDEN HEARING LOSS                  | 10              | 0.78%              |
| SUDDEN VISUAL LOSS                   | 2               | 0.16%              |
| SUICIDAL IDEATION                    | 1               | 0.08%              |
| SUPERINFECTION                       | 1               | 0.08%              |
| SUPRAPUBIC PAIN                      | 1               | 0.08%              |
| SUPRAVENTRICULAR TACHYCARDIA         | 4               | 0.31%              |

| Symptoms  | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| <b>SURGERY</b>                                  | 9               | 0.70%              |
| <b>SUTURE INSERTION</b>                         | 1               | 0.08%              |
| <b>SWALLOW STUDY</b>                            | 1               | 0.08%              |
| <b>SWELLING</b>                                 | 20              | 1.56%              |
| <b>SWELLING FACE</b>                            | 27              | 2.10%              |
| <b>SWELLING OF EYELID</b>                       | 2               | 0.16%              |
| <b>SWOLLEN TONGUE</b>                           | 52              | 4.05%              |
| <b>SYNCOPE</b>                                  | 34              | 2.65%              |
| <b>SYSTEMIC INFLAMMATORY RESPONSE SYNDROME</b>  | 2               | 0.16%              |
| <b>SYSTEMIC LUPUS ERYTHEMATOSUS</b>             | 1               | 0.08%              |
| <b>SYSTOLIC HYPERTENSION</b>                    | 1               | 0.08%              |
| <b>T-LYMPHOCYTE COUNT INCREASED</b>             | 1               | 0.08%              |
| <b>TACHYCARDIA</b>                              | 48              | 3.74%              |
| <b>TACHYPNOEA</b>                               | 11              | 0.86%              |
| <b>TASTE DISORDER</b>                           | 3               | 0.23%              |
| <b>TEARFULNESS</b>                              | 1               | 0.08%              |
| <b>TEMPERATURE INTOLERANCE</b>                  | 1               | 0.08%              |
| <b>TENDERNESS</b>                               | 5               | 0.39%              |
| <b>TENDON DISORDER</b>                          | 1               | 0.08%              |
| <b>TENDON RUPTURE</b>                           | 1               | 0.08%              |
| <b>TENDONITIS</b>                               | 2               | 0.16%              |
| <b>TENOSYNOVITIS</b>                            | 1               | 0.08%              |
| <b>THALAMIC INFARCTION</b>                      | 1               | 0.08%              |
| <b>THERAPEUTIC EMBOLISATION</b>                 | 1               | 0.08%              |
| <b>THERMAL BURN</b>                             | 1               | 0.08%              |
| <b>THINKING ABNORMAL</b>                        | 1               | 0.08%              |
| <b>THIRST</b>                                   | 3               | 0.23%              |
| <b>THORACIC CAVITY DRAINAGE</b>                 | 1               | 0.08%              |
| <b>THROAT CLEARING</b>                          | 6               | 0.47%              |
| <b>THROAT IRRITATION</b>                        | 26              | 2.02%              |
| <b>THROAT TIGHTNESS</b>                         | 66              | 5.14%              |
| <b>THROMBECTOMY</b>                             | 5               | 0.39%              |
| <b>THROMBIN-ANTITHROMBIN III COMPLEX NORMAL</b> | 1               | 0.08%              |
| <b>THROMBOCYTOPENIA</b>                         | 19              | 1.48%              |
| <b>THROMBOEMBOLECTOMY</b>                       | 2               | 0.16%              |
| <b>THROMBOLYSIS</b>                             | 2               | 0.16%              |
| <b>THROMBOPHLEBITIS</b>                         | 1               | 0.08%              |
| <b>THROMBOSIS</b>                               | 21              | 1.63%              |
| <b>THROMBOTIC STROKE</b>                        | 1               | 0.08%              |
| <b>THROMBOTIC THROMBOCYTOPENIC PURPURA</b>      | 1               | 0.08%              |
| <b>THUNDERCLAP HEADACHE</b>                     | 1               | 0.08%              |
| <b>THYROID FUNCTION TEST NORMAL</b>             | 3               | 0.23%              |
| <b>THYROXINE</b>                                | 1               | 0.08%              |
| <b>TIDAL VOLUME DECREASED</b>                   | 1               | 0.08%              |
| <b>TINNITUS</b>                                 | 31              | 2.41%              |
| <b>TONGUE BITING</b>                            | 1               | 0.08%              |
| <b>TONGUE BLISTERING</b>                        | 1               | 0.08%              |
| <b>TONGUE DISCOLOURATION</b>                    | 1               | 0.08%              |
| <b>TONGUE DISCOMFORT</b>                        | 4               | 0.31%              |
| <b>TONGUE DISORDER</b>                          | 2               | 0.16%              |
| <b>TONGUE DRY</b>                               | 1               | 0.08%              |
| <b>TONGUE ERYTHEMA</b>                          | 1               | 0.08%              |
| <b>TONGUE MOVEMENT DISTURBANCE</b>              | 2               | 0.16%              |
| <b>TONGUE OEDEMA</b>                            | 1               | 0.08%              |
| <b>TONGUE PARALYSIS</b>                         | 1               | 0.08%              |
| <b>TONGUE PRURITUS</b>                          | 9               | 0.70%              |
| <b>TONGUE SPASM</b>                             | 1               | 0.08%              |
| <b>TONIC CONVULSION</b>                         | 1               | 0.08%              |
| <b>TONSILLAR HYPERTROPHY</b>                    | 1               | 0.08%              |
| <b>TONSILLITIS</b>                              | 2               | 0.16%              |
| <b>TOOTHACHE</b>                                | 2               | 0.16%              |
| <b>TOXIC ENCEPHALOPATHY</b>                     | 1               | 0.08%              |
| <b>TOXICOLOGIC TEST</b>                         | 1               | 0.08%              |

| Symptoms                                   | Events Reported | Percent (of 1,285) |
|--|-----------------|--------------------|
| TOXOPLASMOSIS                              | 1               | 0.08%              |
| TRACHEAL ASPIRATE CULTURE                  | 1               | 0.08%              |
| TRACHEAL ASPIRATION PROCEDURE              | 1               | 0.08%              |
| TRANSCUTANEOUS PACING                      | 1               | 0.08%              |
| TRANSFUSION                                | 7               | 0.54%              |
| TRANSIENT ISCHAEMIC ATTACK                 | 7               | 0.54%              |
| TRANSPLANT EVALUATION                      | 1               | 0.08%              |
| TREATMENT NONCOMPLIANCE                    | 1               | 0.08%              |
| TREMOR                                     | 39              | 3.04%              |
| TREPONEMA TEST                             | 3               | 0.23%              |
| TREPONEMA TEST NEGATIVE                    | 3               | 0.23%              |
| TRICUSPID VALVE INCOMPETENCE               | 2               | 0.16%              |
| TRISMUS                                    | 2               | 0.16%              |
| TROPONIN                                   | 14              | 1.09%              |
| TROPONIN I                                 | 1               | 0.08%              |
| TROPONIN I INCREASED                       | 2               | 0.16%              |
| TROPONIN I NORMAL                          | 1               | 0.08%              |
| TROPONIN INCREASED                         | 34              | 2.65%              |
| TROPONIN NORMAL                            | 9               | 0.70%              |
| TROPONIN T                                 | 1               | 0.08%              |
| TROPONIN T INCREASED                       | 2               | 0.16%              |
| TROPONIN T NORMAL                          | 1               | 0.08%              |
| TRYPTASE                                   | 3               | 0.23%              |
| TUNNEL VISION                              | 2               | 0.16%              |
| TYPE 1 DIABETES MELLITUS                   | 1               | 0.08%              |
| TYPE 2 DIABETES MELLITUS                   | 1               | 0.08%              |
| TYPE V HYPERLIPIDAEMIA                     | 1               | 0.08%              |
| ULNAR NEURITIS                             | 1               | 0.08%              |
| ULTRASOUND ABDOMEN                         | 2               | 0.16%              |
| ULTRASOUND ABDOMEN ABNORMAL                | 2               | 0.16%              |
| ULTRASOUND ABDOMEN NORMAL                  | 2               | 0.16%              |
| ULTRASOUND ANTENATAL SCREEN NORMAL         | 1               | 0.08%              |
| ULTRASOUND BILIARY TRACT NORMAL            | 1               | 0.08%              |
| ULTRASOUND DOPPLER                         | 21              | 1.63%              |
| ULTRASOUND DOPPLER ABNORMAL                | 8               | 0.62%              |
| ULTRASOUND DOPPLER NORMAL                  | 2               | 0.16%              |
| ULTRASOUND EYE                             | 2               | 0.16%              |
| ULTRASOUND EYE NORMAL                      | 1               | 0.08%              |
| ULTRASOUND JOINT                           | 1               | 0.08%              |
| ULTRASOUND SCAN                            | 14              | 1.09%              |
| ULTRASOUND SCAN ABNORMAL                   | 7               | 0.54%              |
| ULTRASOUND SCAN NORMAL                     | 2               | 0.16%              |
| ULTRASOUND SCAN VAGINA                     | 1               | 0.08%              |
| ULTRASOUND SPLEEN                          | 1               | 0.08%              |
| UNDIFFERENTIATED CONNECTIVE TISSUE DISEASE | 1               | 0.08%              |
| UNEVALUABLE EVENT                          | 4               | 0.31%              |
| UNRESPONSIVE TO STIMULI                    | 36              | 2.80%              |
| URINARY INCONTINENCE                       | 5               | 0.39%              |
| URINARY RETENTION                          | 3               | 0.23%              |
| URINARY TRACT INFECTION                    | 10              | 0.78%              |
| URINARY TRACT INFECTION BACTERIAL          | 1               | 0.08%              |
| URINE AMPHETAMINE POSITIVE                 | 1               | 0.08%              |
| URINE ANALYSIS                             | 20              | 1.56%              |
| URINE ANALYSIS ABNORMAL                    | 3               | 0.23%              |
| URINE ANALYSIS NORMAL                      | 9               | 0.70%              |
| URINE KETONE BODY PRESENT                  | 2               | 0.16%              |
| URINE LEUKOCYTE ESTERASE                   | 1               | 0.08%              |
| URINE LEUKOCYTE ESTERASE POSITIVE          | 1               | 0.08%              |
| URINE OUTPUT DECREASED                     | 3               | 0.23%              |
| URINE RETINOL BINDING PROTEIN INCREASED    | 1               | 0.08%              |
| UROSEPSIS                                  | 2               | 0.16%              |
| URTICARIA                                  | 58              | 4.51%              |
| USE OF ACCESSORY RESPIRATORY MUSCLES       | 1               | 0.08%              |

| Symptoms                           | Events Reported | Percent (of 1,285) |
|------------------------------------|-----------------|--------------------|
| UTERINE LEIOMYOMA                  | 1               | 0.08%              |
| VACCINATION COMPLICATION           | 3               | 0.23%              |
| VACCINATION SITE PAIN              | 1               | 0.08%              |
| VAGINAL HAEMORRHAGE                | 2               | 0.16%              |
| VASCULAR CAUTERISATION             | 1               | 0.08%              |
| VASCULAR TEST                      | 1               | 0.08%              |
| VASCULITIS                         | 1               | 0.08%              |
| VASODILATATION                     | 1               | 0.08%              |
| VASOGENIC CEREBRAL OEDEMA          | 1               | 0.08%              |
| VENOGRAM                           | 2               | 0.16%              |
| VENOUS OXYGEN PARTIAL PRESSURE     | 1               | 0.08%              |
| VENOUS OXYGEN SATURATION DECREASED | 1               | 0.08%              |
| VENOUS OXYGEN SATURATION NORMAL    | 1               | 0.08%              |
| VENOUS STENT INSERTION             | 1               | 0.08%              |
| VENTILATION/PERFUSION SCAN         | 1               | 0.08%              |
| VENTRICULAR ARRHYTHMIA             | 1               | 0.08%              |
| VENTRICULAR DRAINAGE               | 2               | 0.16%              |
| VENTRICULAR EXTRASYSTOLES          | 3               | 0.23%              |
| VENTRICULAR FIBRILLATION           | 2               | 0.16%              |
| VENTRICULAR HYPOKINESIA            | 2               | 0.16%              |
| VENTRICULAR TACHYCARDIA            | 6               | 0.47%              |
| VERTEBRAL ARTERY OCCLUSION         | 2               | 0.16%              |
| VERTEBRAL FORAMINAL STENOSIS       | 1               | 0.08%              |
| VERTEBRAL LATERAL RECESS STENOSIS  | 1               | 0.08%              |
| VERTIGO                            | 20              | 1.56%              |
| VERTIGO POSITIONAL                 | 2               | 0.16%              |
| VESTIBULAR NEURONITIS              | 2               | 0.16%              |
| VIBRATORY SENSE INCREASED          | 1               | 0.08%              |
| VIRAL CARDIOMYOPATHY               | 2               | 0.16%              |
| VIRAL TEST                         | 1               | 0.08%              |
| VIRAL TEST NEGATIVE                | 6               | 0.47%              |
| VIRAL TITRE                        | 1               | 0.08%              |
| VISION BLURRED                     | 20              | 1.56%              |
| VISUAL ACUITY REDUCED              | 1               | 0.08%              |
| VISUAL ACUITY TESTS                | 1               | 0.08%              |
| VISUAL FIELD DEFECT                | 3               | 0.23%              |
| VISUAL FIELD TESTS                 | 3               | 0.23%              |
| VISUAL IMPAIRMENT                  | 17              | 1.32%              |
| VITAL FUNCTIONS ABNORMAL           | 1               | 0.08%              |
| VITAMIN B12                        | 4               | 0.31%              |
| VITAMIN B12 DECREASED              | 2               | 0.16%              |
| VITAMIN B12 NORMAL                 | 4               | 0.31%              |
| VITAMIN B6 NORMAL                  | 1               | 0.08%              |
| VITAMIN D                          | 2               | 0.16%              |
| VITAMIN D DECREASED                | 1               | 0.08%              |
| VITH NERVE PARALYSIS               | 2               | 0.16%              |
| VOCAL CORD DISORDER                | 1               | 0.08%              |
| VOCAL CORD PARALYSIS               | 1               | 0.08%              |
| VOMITING                           | 77              | 5.99%              |
| WAIST CIRCUMFERENCE INCREASED      | 1               | 0.08%              |
| WALKING AID USER                   | 8               | 0.62%              |
| WALL MOTION SCORE INDEX ABNORMAL   | 1               | 0.08%              |
| WEIGHT BEARING DIFFICULTY          | 3               | 0.23%              |
| WEIGHT DECREASED                   | 1               | 0.08%              |
| WHEELCHAIR USER                    | 4               | 0.31%              |
| WHEEZING                           | 29              | 2.26%              |
| WHITE BLOOD CELL COUNT             | 2               | 0.16%              |
| WHITE BLOOD CELL COUNT ABNORMAL    | 2               | 0.16%              |
| WHITE BLOOD CELL COUNT DECREASED   | 5               | 0.39%              |
| WHITE BLOOD CELL COUNT INCREASED   | 38              | 2.96%              |
| WHITE BLOOD CELL COUNT NORMAL      | 21              | 1.63%              |
| WHITE BLOOD CELLS URINE POSITIVE   | 1               | 0.08%              |
| WHITE MATTER LESION                | 2               | 0.16%              |

| Symptoms                                | Events Reported | Percent (of 1,285) |
|---|-----------------|--------------------|
| <b>WITHDRAWAL OF LIFE SUPPORT</b>       | 1               | 0.08%              |
| <b>X-RAY</b>                            | 18              | 1.40%              |
| <b>X-RAY ABNORMAL</b>                   | 4               | 0.31%              |
| <b>X-RAY LIMB</b>                       | 5               | 0.39%              |
| <b>X-RAY LIMB NORMAL</b>                | 2               | 0.16%              |
| <b>X-RAY NORMAL</b>                     | 4               | 0.31%              |
| <b>X-RAY OF PELVIS AND HIP</b>          | 2               | 0.16%              |
| <b>X-RAY OF PELVIS AND HIP ABNORMAL</b> | 1               | 0.08%              |
| <b>X-RAY WITH CONTRAST</b>              | 1               | 0.08%              |
| <b>YELLOW SKIN</b>                      | 1               | 0.08%              |
| <b>Total</b>                            | <b>10,547</b>   | <b>820.78%</b>     |

**Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).**

#### Notes:

**Caveats:** VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information.](#) ([/wonder/help/vaers.html#Suppress](#))

Data contains VAERS reports processed as of 02/26/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. [More information.](#) ([/wonder/help/vaers.html#Reporting](#))

Values of Event Category field vary in their availability over time due to changes in the reporting form. The "Emergency Room/Office Visit" value was available only for events reported using the VAERS-1 form, active 07/01/1990 to 06/29/2017. The "Congenital Anomaly/Birth Defect", "Emergency Room", and "Office Visit" values are available only for events reported using the VAERS 2.0 form, active 06/30/2017 to present. These changes must be considered when evaluating count of events for these categories.

**Help:** See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation](#) ([/wonder/help/vaers.html](#)) for more information.

**Query Date:** Mar 6, 2021 10:58:17 AM

#### Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - 02/26/2021, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on Mar 6, 2021 10:58:17 AM

#### Query Criteria:

**Event Category:** Life Threatening; Permanent Disability  
**State / Territory:** The United States/Territories/Unknown  
**Vaccine Products:** COVID19 VACCINE (COVID19)  
**Group By:** Symptoms  
**Show Totals:** True

**Show Zero Values:** False